

TRA 25-01 - Supply and Delivery of School Buses - Quote Form - Bus Unit Price: Type C

Line Item	Bus Description	Velocity Truck Centres	Western Canada Bus Inc
		Submission 1	Submission 1
		Unit Price	Unit Price
1	Type C 53p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$169,200.00	Not available
2	Type C 64p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$174,900.00	Not available
3	Type C 70p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$174,050.00	Not available
4	Type C 71p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$179,600.00	Not available
5	Type C 76p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$182,600.00	\$196,000.00
6	Type C 77p STOCK UNIT. Units must be available from the dealer for delivery prior to September 1st 2025 (either in existing inventory or in process of being manufactured).	\$187,900.00	Not available

TRA 25-01 - Supply and Delivery of School Buses - Quote Form - Option Pricing: Type C 53p / 64p / 70p STOCK UNIT

Line Item	Optional Pricing	Velocity Truck Centres		
		Submission 1		
		Charge Type	Unit Price	Additional Information
1	One (1) additional spare tire mounted	Additional	\$1,750.00	Shipped loose
2	Air horn roof mounted	Not Available		
3	Pre-wiring for 2-way radio and antenna power and ground thru noise suppression switch.	No Charge		
4	Driver's storage compartment overhead left side	No Charge		Included
5	Driver's clipboard storage accessible from drivers seat	Not Available		
6	Traction control through ABS	No Charge		
7	Limited Slip Rear Axle	Not Available		
8	Driver controlled differential lock	Not Available		
9	Automatic Greasers Minimum 12 grease points	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases
10	Allison 3000 Series automatic transmission	Not Available		
11	Acoustic ceiling panels throughout	Not Available		
12	Winter front and bug screen	Not Available		
13	10R22.5 Tires instead of base 11R22.5	Not Available		
14	Interior mirror - 10" x 30" Mirror adjustable no windshield obstruction	Not Available		
15	Interior-Exterior intercom	Not Available		interior intercom only
16	Emergency roof hatch vent with exhaust fan	Not Available		
17	Tinted Windows throughout	No Charge		Included
18	Laptop and connectors with applicable programming and software including training for each style of bus purchased. ABS software.	Additional	\$6,000.00	Includes the following: 1 - laptop 1 - Wireless connector kit 1 year subscription to Diagnostic Link 1 year subscription to Cummins Insite Lite 1 year subscription to Wabco Tool Box Plus (ABS)
19	Wheelchair lift specify OEM in attached documentation. Supply and install wheelchair lift with one chair position across from lift inclusive of tie down system includes Ricon lift Ostraint tie down system and	Not Available		
20	Track seating per wheelchair space	Not Available		
21	Air operated disc brakes	Not Available		
22	Integrated Child Seats/Per Seat - Attach information details	Not Available		
23	Adjustable Foot Pedals	Not Available		
24	Telescopic Steering	No Charge		Included
25	Hydraulic brake school bus with air seat and air suspension	Not Available		
26	Hydraulic brake school bus (no air components)	Not Available		
27	Engine Upgrade - Propane (LPG) Please attach any supporting documentation.	Not Available		
28	Engine Upgrade - Compressed Natural Gas (CNG). Please attach any supporting documentation.	Not Available		
29	In-service training for chassis and body maintenance procedures at Purchaser's facility	Additional	\$2,000.00	
30	Interior mirror 8 X 30 inches adjustable no windshield blockage	Not Available		
31	Door handle on exterior of entry door	No Charge		Included
32	Move to one body size larger with same seat count for increased knee room	Not Available		
33	Pedestrian Detection System	Not Available		
34	Collision Mitigation System	Not Available		
35	Stop Arm Camera	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases
36	Sears Atlas Seat	Not Available		
37	Onspot automatic chains	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases
38	3-point seatbelts (priced per seat)	Not Available		
39	Rear airfoil wind deflector	Not Available		
40	At the request of the customer dealers and manufacturers are required to supply install and invoice 3rd party options from but not limited to the following providers: CalAmp Espar First Light Safety Products Gatekeeper Geotab Proheat Safefleet Safety Tyler Drive Webasto Zonar.	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases

TRA 25-01 - Supply and Delivery of School Buses - Quote Form - Option Pricing: Type C 71p / 76p / 77p STOCK UNIT

Line Item	Velocity Truck Centres			Western Canada IC Bus Inc.		
	Submission 1			Submission 1		
	Charge Type	Unit Price	Additional Information	Charge Type	Unit Price	Additional Information
1 One (1) additional spare tire mounted	Additional	\$1,750.00	Shipped Loose	No Charge		Spare Tire Included
2 Air horn roof mounted	No Charge		Included - mounted on chassis	No Charge		Air Horn Included
3 Pre-wiring for 2-way radio and antenna power and ground thru noise	No Charge		Included	Additional	\$250.00	
4 Driver's storage compartment overhead left side	No Charge		Included	No Charge		Included
5 Driver's clipboard storage accessible from drivers seat	Not Available			No Charge		Included
6 Traction control through ABS	No Charge		Included	No Charge		Standard
7 Limited Slip Rear Axle	Not Available			Not Available		Not Available - Incompatible with mandatory Traction Control
8 Driver controlled differential lock	No Charge		Included	Not Available		Not Available - Incompatible with mandatory Traction Control
9 Automatic Greasers Minimum 12 grease points	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases	Additional	\$5,350.00	
10 Allison 3000 Series automatic transmission	Not Available			Not Available		
11 Acoustic ceiling panels throughout	No Charge		Included	No Charge		Standard
12 Winter front and bug screen	No Charge		Included	Additional	\$600.00	
13 10R22.5 Tires instead of base 11R22.5	Not Available			Not Available		
14 Interior mirror - 10" x 30" Mirror adjustable no windshield obstruction	Not Available			No Charge		Included
15 Interior-Exterior intercom	No Charge		Included	No Charge		Interior Included
16 Emergency roof hatch vent with exhaust fan	Not Available			No Charge		Included
17 Tinted Windows throughout	No Charge		Included	No Charge		Included
18 Laptop and connectors with applicable programming and software including training for each style of bus purchased. ABS software.	Additional	\$6,000.00	Includes the following: 1 - laptop 1 - Wireless connector kit 1 year subscription to Diagnostic Link 1 year subscription to Cummins Insite Lite 1 year subscription to Wabco Tool Box Plus (ABS)	Additional	\$3,000.00	
19 Wheelchair lift specify OEM in attached documentation. Supply and install wheelchair lift with one chair position across from lift inclusive of tie down system includes Ricon lift Qstraint tie down system and floor pockets for one	Not Available			Not Available		
20 Track seating per wheelchair space	Not Available			Additional		
21 Air operated disc brakes	No Charge		Included	Additional	\$2,500.00	Limited Inventory Quantity equipped with Air Disc
22 Integrated Child Seats/Per Seat - Attach information details	Not Available			Additional	\$1,250.00	
23 Adjustable Foot Pedals	No Charge		Included	Not Available		
24 Telescopic Steering	No Charge		Included	No Charge		Included
25 Hydraulic brake school bus with air seat and air suspension	Not Available			Not Available		
26 Hydraulic brake school bus (no air components)	Not Available			Not Available		
27 Engine Upgrade - Propane (LPG) Please attach any supporting documentation.	Not Available			Not Available		
28 Engine Upgrade - Compressed Natural Gas (CNG). Please attach any supporting	Not Available			Not Available		
29 In-service training for chassis and body maintenance procedures at Purchaser's	Additional	\$2,000.00		Additional	\$800.00	Per Day
30 Interior mirror 8 X 30 inches adjustable no windshield blockage	Not Available		Bus is equipped with back up camera with in mirror monitor	Not Available		
31 Door handle on exterior of entry door	No Charge		Included	No Charge		Included
32 Move to one body size larger with same seat count for increased knee room	Not Available			Not Available		
33 Pedestrian Detection System	Not Available			Not Available		
34 Collision Mitigation System	No Charge		Equipped with MobilEye Collision Avoidance System featuring the following - Lane Departure Warning - Headway Monitoring - Forward Collision Warning - Urban Forward Collision Warning	Not Available		
35 Stop Arm Camera	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases	Additional		Will be quoted with manufacturer of purchaser's choosing upon request
36 Sears Atlas Seat	Not Available			No Charge		Included
37 Onspot automatic chains	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases	Additional	\$5,950.00	
38 3-point seatbelts (priced per seat)	Not Available			Additional	\$23,500.00	Per Bus If selected all seats must be converted per Transport Canada.
39 Rear airfoil wind deflector	Not Available			Additional	\$1,900.00	Limited Quantities Available
40 At the request of the customer dealers and manufacturers are required to supply install and invoice 3rd party options from but not limited to the following providers: CalAmp Espar First Light Safety Products Gatekeeper Geotab Proheat Safefleet Safety Vision Tyler Drive Webasto Zonar.	Additional		Custom configurations will be coordinated and priced with customer upon finalizing purchases	Additional		We agree with this condition.

TRA 25-01 - Supply and Delivery of School Buses - Specification - Base Bus Specifications: Body - Type C 53p / 64p / 70p STOCK UNIT

		Velocity Truck Centres	
		<u>Submission 1</u>	
<u>Line</u>	<u>Body Specifications</u>	<u>Yes/No</u>	<u>Additional Information</u>
1	Four (4) additional power supply feeds at body power source.	Yes	
2	Crossing arm deactivation switch	Yes	
3	Full power steering - minimum 18" diameter steering wheel Tilt steering	Yes	
4	HORNS Dual electric	Yes	
5	Instruments: Dash mounted tach engine hr meter voltmeter speedometer in kmh c/w odometer in km fuel oil pressure transmission temperature engine	Yes	
6	Low air warning - light and buzzer	Yes	
7	Warning light and buzzer for high water temperature / low oil pressure	Yes	
8	LIGHTS: Front headlights: HD All exterior lights to be LED Cluster lights: front and rear - six (6) in total LED 8 light system non-sequential with master switch	Yes	
9	Tilt hood for engine access	Yes	
10	Engine noise insulator (firewall and hood)	Yes	
11	Body insulation including walls ceiling and roof bows - to be fiberglass or equivalent Dust intrusion package on underside of bus up to floor joint	Yes	
12	WINDSHIELD Laminated safety glass tinted Please state what is offered.	Yes	Tinted safety glass 1-piece curved & bonded windshield provided for best in class visibility clear of any seams. With the largest visibility footprint our windshield eliminates any potential blind spots that may be found with a 3 or 4 piece windshield ensuring children are always seen and safe
13	WINDOWS Passenger windows split sash type tinted throughout. Thermal where required Driver's window sliding type thermal pane lockable	Yes	
14	Exterior Lettering Six Inch - (Purchaser name) both sides at belt line	Yes	As required by district
15	Four Inch - Bus Number two front corners and opposite rear license plate	Yes	As required by district
16	Two Inch - Capacity GVW (Purchaser name) on side panel back of entrance door and side panel below driver.	Yes	
17	Floor 5/8 plywood subfloor or equivalent secured with screws only (no nails) water-proofed and sealed at joints with silicone sealer including floor to wall	Yes	We use screws only
18	Vandal lock for Emergency and Entrance Doors	Yes	
19	Heavy duty entrance door control - air or electric operated Entrance Door	Yes	
20	Two (2) auxiliary 6" electric defroster fans Separate switches on panel	Yes	One windshield mounted and one above driver's window
21	Driver's dome light on separate switch.	Yes	
22	Rear dome lights on separate switches (with dimmers if available)	Yes	Separate switches for front and rear LED dome lamps
23	AM/FM CD RADIO W/PA Flush mounted speakers to match bus	Yes	
24	Driver's seat to be deluxe high back air seat fully adjustable - 6-way with lumbar support and fold down arm rests. Air foam rubber filled with heavy duty	Yes	
25	EMERGENCY EQUIPMENT COMPARTMENT Above windshield; all emergency equipment to meet standards	Yes	FAK & Fire extinguisher in overhead compartment. Triangles on vestibule floor
26	Mud flaps front Mud flaps rear with rubber fender skirts	Yes	
27	MIRRORS (EXTERIOR) Right and left side primary and convex mirrors; remote adjustable Exterior convex crossovers self-defrosting mounted on right and	Yes	
28	Two (2) LED stop arms with strobe lights (red) air operated one (1) front mounted (1) rear mounted. Both with wind guards	Yes	
29	Wet arm windshield wipers intermittent / delay preferred	Yes	
30	HEATERS Two (2) 80 000 BTU under seat heaters one (1) right front step well heater 50 000 BTU and one (1) front defrost 90 000 BTU Specify if different in Smaller capacity buses..	Yes	More or less heaters available depending on bus size and district climate
31	Light coloured rubber floor covering and entrance steps. Specify colour.	Yes	Grey colour flooring
32	Seat spacing minimum 24" knee clearance. Frame seat belt ready.	Yes	
33	Aluminized side panelling	Yes	Galvalume interior side walls
34	77" minimum interior headroom at highest point. Please state Headroom	Yes	78 inch headroom standard
35	Interior mirror - minimum 6" up to 10" x 30" Sun visor - Plexiglas 6" x 30"	Yes	6 x 30 inch mirror provided
36	Two (2) roof emergency hatches / vents	Yes	
37	Right side luggage compartment 84" preferred Specify largest size available	Yes	100 inch right side
38	Four (4) additional power supply feeds at body power source.	Yes	
39	Body fully undercoated for noise and enhanced rust protection	Yes	

TRA 25-01 - Supply and Delivery of School Buses - Specification - Base Bus Specifications: Chassis - Type C 53p / 64p / 70p STOCK UNIT

		Velocity Truck Centres	
		Submission 1	
<u>Line Item</u>	<u>Chassis Specifications</u>	<u>Yes/No</u>	<u>Additional Information</u>
1	Chassis and Body Year	Yes	Freightliner Custom Chassis - Model Year 2025
2	ENGINE Diesel Minimum 240 HP @ 620 ft/lbs torque c/w engine brake Minimum 6 cylinder turbocharged. Minimum must be met or exceeded State	Yes	Cummins ISB 6.7L 250HP 660LB/FT with VGT Brake
3	Automatic Allison 2500 to match engine torque rating with filter and transmission cooler (6 speed option avail) Must include Allison extended warranty for five (5) years and Allison TranSynd fluid	Yes	7 year warranty on 2500 series transmission
4	Wheelbase up to 280" - Specify for Each body size	Yes	279 Inch
5	Remote air tank drains	Yes	
6	Rear tow hooks	Yes	
7	Wheels - Disc hub piloted	Yes	
8	Tires - Six (6) -11R22.5 Michelin XZE 2 preferred	Yes	XZE2 Fronts XDN2 Rears
9	Rear Axle - Capacity: 19 500 lb Maximum speed required: 110 kmh Cruise control set at 100 kmh 21 000 lb air ride suspension Specify Lighter axle for	Yes	105km Max Cap
10	FRONT AXLE 10 000 lb minimum 10 000 lb spring suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes	
11	AIR BRAKES S cam W/ABS Min. 13.2 cfm compressor Spring brakes for emergency and parking Auto slack adjustors long stroke Air dryer 16-1/2 x 5	Yes	
12	ALTERNATOR Heavy duty 200 amp alternator minimum State size and make	Yes	Delco Remy 200amp
13	BATTERY Three (3) Group 31 batteries to be mounted in body side	Yes	
14	Back-up alarm 97 dB minimum	Yes	
15	High capacity dry type air cleaner c/w air restriction gauge to be mounted on	Yes	
16	Electric block heater (min 1200 watt) and in pan Oil Pan heater (350 watt)	Yes	750 Watt Per Cummins
17	Diesel fired pre heater (15-20 000 BTU) with 24 hour 7 day programmable timer or compartment and mounting bracket ready.	Yes	Webasto 17k BTU Coolant Heater with 7 day timer
18	Heavy Duty hoses to meet current coolant standards.	Yes	Gates Blue stripe standard
19	Heated fuel water separator with primer pump installed in engine	Yes	
20	Oil lubed front wheel bearings or sealed bearings	Yes	
21	SERVICE MANUAL AND DIAGNOSTIC SOFTWARE Service manual for engine and chassis Engine and body diagnostics software or licensing if web based.	Yes	Parts & service info on-line. Engine Diagnostic software 1 per district
22	Supply line setting ticket	No	
23	Heater cut off valve at engine	Yes	
24	FUEL TANK Minimum 60 gallon capacity (226 liter) Located aft of rear axle and between frame rails (filler on right side) Non-Locking Fuel tank door.	Yes	
25	FULLY ILLUMINATED Stop Arm (pneumatic operated) Stop Sign - red octagon	Yes	
26	FULLY ILLUMINATED Stop Arm (electric drive) Stop Sign - red octagon with	No	
27	ILLUMINATED SCHOOL BUS SIGN (front and rear) approved by BC Ministry of	Yes	

TRA 25-01 - Supply and Delivery of School Buses - Specification - Base Bus Specifications: Body - 71p / 76p / 77p STOCK UNIT

Line Item	Body Specifications	Velocity Truck Centres		Western Canada IC Bus Inc.	
		Submission 1		Submission 1	
		Yes/No	Additional Information	Yes/No	Additional Information
1	Four (4) additional power supply feeds at body power source.	Yes		Yes	
2	Crossing arm deactivation switch	Yes		Yes	
3	Full power steering - minimum 18" diameter steering wheel Tilt steering	Yes		Yes	
4	HORNS Dual electric	Yes		Yes	
5	Instruments: Dash mounted tach engine hr meter voltmeter speedometer in kmh c/w odometer in km fuel oil pressure transmission temperature engine	Yes		Yes	
6	Low air warning - light and buzzer	Yes		Yes	
7	Warning light and buzzer for high water temperature / low oil pressure	Yes		Yes	
8	LIGHTS: Front headlights: HD All exterior lights to be LED Cluster lights: front and rear - six (6) in total LED 8 light system non-sequential with master switch	Yes		Yes	
9	Tilt hood for engine access	Yes		Yes	
10	Engine noise insulator (firewall and hood)	Yes		Yes	
11	Body insulation including walls ceiling and roof bows - to be fiberglass or equivalent Dust intrusion package on underside of bus up to floor joint	Yes		Yes	
12	WINDSHIELD Laminated safety glass tinted Please state what is offered.	Yes	Tinted safety glass 1-piece curved & bonded windshield provided for best in class visibility clear of any seams. With the largest visibility footprint our windshield eliminates any potential blind spots that may be found with a 3 or 4 piece windshield ensuring children are always seen and safe	Yes	
13	WINDOWS Passenger windows split sash type tinted throughout. Thermal where required Driver's window sliding type thermal pane lockable	Yes		Yes	
14	Exterior Lettering Six Inch - (Purchaser name) both sides at belt line	Yes	As required by district	Yes	
15	Four Inch - Bus Number two front corners and opposite rear license plate	Yes	As required by district	Yes	
16	Two Inch - Capacity GVW (Purchaser name) on side panel back of entrance door and side panel below driver.	Yes		Yes	
17	Floor 5/8 plywood subfloor or equivalent secured with screws only (no nails) water-proofed and sealed at joints with silicone sealer including floor to wall	Yes	We use screws only	Yes	
18	Vandal lock for Emergency and Entrance Doors	Yes		Yes	
19	Heavy duty entrance door control - air or electric operated Entrance Door must	Yes		Yes	
20	Two (2) auxiliary 6" electric defroster fans Separate switches on panel	Yes	One windshield mounted and one above driver's window	Yes	
21	Driver's dome light on separate switch.	Yes		Yes	
22	Rear dome lights on separate switches (with dimmers if available)	Yes	Separate switches for front and rear LED dome lamps	Yes	
23	AM/FM CD RADIO W/PA Flush mounted speakers to match bus	Yes		Yes	
24	Driver's seat to be deluxe high back air seat fully adjustable - 6-way with lumbar support and fold down arm rests. Air foam rubber filled with heavy duty	Yes		Yes	Sears Atlas II Premium Driver's Seat Heated
25	EMERGENCY EQUIPMENT COMPARTMENT Above windshield; all emergency equipment to meet standards	Yes	FAK & Fire extinguisher in overhead compartment. Triangles on vestibule floor	Yes	
26	Mud flaps front Mud flaps rear with rubber fender skirts	Yes		Yes	
27	MIRRORS (EXTERIOR) Right and left side primary and convex mirrors; remote adjustable Exterior convex crossovers self-defrosting mounted on right and left	Yes		Yes	
28	Two (2) LED stop arms with strobe lights (red) air operated one (1) front mounted (1) rear mounted. Both with wind guards	Yes		Yes	
29	Wet arm windshield wipers intermittent / delay preferred	Yes		Yes	
30	HEATERS Two (2) 80 000 BTU under seat heaters one (1) right front step well heater 50 000 BTU and one (1) front defrost 90 000 BTU Specify if different in	Yes	More or less heaters available depending on bus size and district climate	Yes	
31	Light coloured rubber floor covering and entrance steps. Specify colour.	Yes		Yes	
32	Seat spacing minimum 24" knee clearance. Frame seat belt ready.	Yes		Yes	
33	Aluminized side panelling	Yes		Yes	
34	77" minimum interior headroom at highest point. Please state Headroom	Yes		Yes	78"
35	Interior mirror - minimum 6" up to 10" x 30" Sun visor - Plexiglas 6" x 30"	Yes		Yes	
36	Two (2) roof emergency hatches / vents	Yes		Yes	Powered Ventilation Hatches
37	Right side luggage compartment 84" preferred Specify largest size available based on body size	Yes	100 inch right side under body storage	Yes	87"
38	Four (4) additional power supply feeds at body power source.	Yes		Yes	
39	Body fully undercoated for noise and enhanced rust protection	Yes		Yes	Undercoat is a Water Based Asphalt Emulsion. It is applied post body-drop and seat installation. The undercoat is applied manually at the seat installation bolts to ensure adequate coverage.

TRA 25-01 - Supply and Delivery of School Buses - Specification - Base Bus Specifications: Chassis - 71p / 76p / 77p STOCK UNIT

Line Item	Chassis Specifications	Velocity Truck Centres		Western Canada IC Bus Inc.	
		Submission 1		Submission 1	
		Yes/No	Additional Information	Yes/No	Additional Information
1	Chassis and Body Year	Yes	Freightliner Customer Chassis - MY25	Yes	2026 International
2	ENGINE Diesel Minimum 240 HP @ 620 ft/lbs torque c/w engine brake Minimum 6 cylinder turbocharged. Minimum must be met or exceeded State	Yes	Cummins ISB 6.7L 250HP 660LB/FT with VGT Brake	Yes	Cummins ISB 6.7L 250 HP/660lb/ft Torque with VGT Brake
3	Automatic Allison 2500 to match engine torque rating with filter and transmission cooler (6 speed option avail) Must include Allison extended warranty for five (5) years and Allison TranSynd fluid	Yes	"7 year warranty on 2500 series transmission	Yes	
4	Wheelbase up to 280" - Specify for Each body size	Yes	77p = 279 inch wheelbase	Yes	276"
5	Remote air tank drains	Yes		Yes	In-Cab Drain Switches Included
6	Rear tow hooks	Yes		Yes	
7	Wheels - Disc hub piloted	Yes		Yes	
8	Tires - Six (6) -11R22.5 Michelin XZE 2 preferred	Yes	XZE2 Fronts XDN2 Rears	Yes	Michelin Tires Spare Included.
9	Rear Axle - Capacity: 19 500 lb Maximum speed required: 110 kmh Cruise control set at 100 kmh 21 000 lb air ride suspension Specify Lighter axle for	Yes	105km max cap	Yes	
10	FRONT AXLE 10 000 lb minimum 10 000 lb spring suspension Specify Lighter axle for smaller capacity bus if warranted.	Yes		Yes	
11	AIR BRAKES S cam W/ABS Min. 13.2 cfm compressor Spring brakes for emergency and parking Auto slack adjustors long stroke Air dryer 16-1/2 x 5 Front 16-1/2 x 7 Rear backing plates	Yes		Yes	
12	ALTERNATOR Heavy duty 200 amp alternator minimum State size and make	Yes	Delco Remy 200amp	Yes	
13	BATTERY Three (3) Group 31 batteries to be mounted in body side	Yes		Yes	
14	Back-up alarm 97 dB minimum	Yes		Yes	
15	High capacity dry type air cleaner c/w air restriction gauge to be mounted on dash or air intake	Yes		Yes	
16	Electric block heater (min 1200 watt) and in pan Oil Pan heater (350 watt)	Yes	750 Watt Per Cummins	Yes	750w per Cummins.
17	Diesel fired auxiliary heater (15-20 000 BTU) with 24 hour 7 day programmable timer or compartment and mounting bracket ready.	Yes	17k BTU Webasto Heater	Yes	
18	Heavy Duty hoses to meet current coolant standards.	Yes	Gates Blue stripe standard	Yes	
19	Heated fuel water separator with primer pump installed in engine	Yes		Yes	
20	Oil lubed front wheel bearings or sealed bearings	Yes		Yes	
21	SERVICE MANUAL AND DIAGNOSTIC SOFTWARE Service manual for engine and chassis Engine and body diagnostics software or licensing if web based.	Yes		Yes	
22	Supply line setting ticket	No		Yes	
23	Heater cut off valve at engine	Yes		Yes	
24	FUEL TANK Minimum 60 gallon capacity (226 liter) Located aft of rear axle and between frame rails (filler on right side) Non-Locking Fuel tank door.	Yes		Yes	100 US Gallon
25	FULLY ILLUMINATED Stop Arm (pneumatic operated) Stop Sign - red octagon with white lettering	Yes		Yes	
26	FULLY ILLUMINATED Stop Arm (electric drive) Stop Sign - red octagon with	No		No	
27	ILLUMINATED SCHOOL BUS SIGN (front and rear) approved by BC Ministry of	Yes		Yes	