Time and Distance Table

1.1 TBB C2 School Bus

Coverage ¹					
Body Component	Time ²	Distance ²			
TBB A/C System	3 Years	50,000 mi/80 500 km			
TBB Basic Body (Type C)	3 Years	50,000 mi/80 500 km			
TBB Manufactured Components	3 Years	50,000 mi/80 500 km			
TBB Miscellaneous (Accessories, Compartments, etc.)	3 Years	50,000 mi/80 500 km			
TBB Paint	5 Years	Unlimited			
TBB Passenger Doors	3 Years	50,000 mi/80 500 km			
TBB Seat and Barrier Frames	5 Years	Unlimited			
TBB Seats, Barriers, and Stanchions	3 Years	50,000 mi/80 500 km			
TBB Storm Glass and Windows	3 Years	50,000 mi/80 500 km			
TBB Structure and Sheet Metal	5 Years	Unlimited			
TBB Towing	6 Months	Unlimited			

¹ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For unit-specific coverage, Dealers should enter a product serial number or vehicle identification number on the *Coverage Info* screen in OWL; for customers without access to OWL, see ordering Dealer for more information.

² Time or distance, whichever comes first.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Coverage Descriptions

Based on a unit's specifications, New Product Limited Warranty (Warranty) coverage applies. For unit-specific coverage information (time/distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Check Info/Check Coverage* screen in Online Warranty Link (OWL). Use time and distance tables in conjunction with the coverage description paragraphs; if a coverage is applicable, it will be included as a row in the table.

2.1 Thomas Built Bus (TBB) A/C System (TBB Installed)

Coverage includes air conditioning (A/C): A/C electrical control panel, accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fitting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), and blower wheel.

2.2 TBB Basic Body (Type C)

Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty, by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table.

Includes: air operated components, door controls (all TBB installed), doors: air controls, electric controls, manual controls, hold back devices, emergency rear doors, emergency side doors, entrance doors, lift-single/double doors, door handles, hinges, door locks, air pump, vandalocks, door locks, door latches, electrical motors (TBB installed), air distribution actuator, motor/door-blend air actuator, resistor block, core (heater), air conditioner/ heater/defroster ducting, defroster fan, harness, under bus to rear HVAC hose, HVAC control module, motor, mounting/housing (main case), relay/magnetic switch, switch (ether start), radiator fan/shutter override switch, blower wheels, floor covering, step treads, floor plywood, plywood fastening, window frame (excludes glass), windows, push out window, stationary windows, split sash window, split sash storm window, heater cores, cable control, hose covers/trim, defroster duct, driver's heater, defroster fan, mid-ship heater, heater motor, rear heater, step well heater, lights, back-up light, clearance light, directional light, directional side light, dome light, license plate light, marker light red light, stop/tail light, stop light, strobe light, warning light (excludes all bulbs and fading lenses), cowl mount mirror, cross view mirror, rear mount mirror/rear view mirror, heater mirror, inside rear view mirror, seals (windows and doors), seats, anchors, barriers, flip seat, passenger seat/frame (soft goods), lifts and panels, modesty panels, ceiling assist rail, shields, stanchions, wheel chair tie downs, wheel chair lift units, switches (all TBB installed), visors (TBB installed), safety equipment, backing alarms, child check mate, destination signs, sun visors, wig-wag, vandalock system, warning devices, lamps, flasher modules, child reminder system, driver alert sign, stop arms, walk gates, back up alarms, windshield wipers (arms only), wiring (TBB installed), wiring harness, wiring harness brackets, cables, connectors, a/c system (TBB installed), a/c electrical control panel, accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, a/c fitting/pipe, a/c hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve, blower wheel, radios (TBB installed), radio entertainment (only applicable if factory installed), harness, radio basic assembly, speaker, and fiberglass components.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.3 TBB Manufactured Components

Coverage includes compartments, battery compartment, designation sign compartment, electrical access compartment, luggage compartment, tool compartment, bumper system, bracket or mounting, bumper, bumper fascia, bumper frame, body-inside, metal bulkheads, grab rails, luggage rack assembly, luggage rack pads, luggage rack mounting, and metal interior trim.

2.4 TBB Miscellaneous (Accessories, Compartments, Etc.)

Coverage includes roof insulation, side wall insulation, bulkhead, rafter cavity, plastic trim, and storm sash.

2.5 TBB Paint

Coverage includes all components painted by TBB. Excludes fading.

2.6 TBB Passenger Doors

Coverage includes door shells and hinges.

2.7 TBB Seat and Barrier Frames

Coverage includes passenger seat frame, barrier frames, and seat back panels.

2.8 TBB Seats, Barriers, and Stanchions

Coverage includes barrier foam, barrier upholstery (sewing, stapling, etc.) armrest, seat foam/springs, seat upholstery (sewing, stapling, etc.), moms seat, flip mech., plywood, and seat track (including related hardware).

2.9 TBB Storm Glass and Windows

Coverage includes all storm windows and frames. Excludes glass breakage.

2.10 TBB Structure and Sheet Metal

Coverage includes belt line angle, door header, exterior sheet metal, trim, left and right exterior side sheets, fenderette (steel), floor sheets, floor panels, front assembly sheet metal, headlining, inside side lining, interior sheet metal trim, main body door post and capping, outriggers, pilaster, rafter, rafter reinforcement, rear assembly sheet metal, roof rails, roof sheets and hoods, rub rails, seatrail, floor rail, entrances stepwell, under floor angle, channel, cross tube, vestibule floor, front and rear wheel house, window header, structural adhesives, sheet metal protection, and rust perforation. *Excludes fiberglass components*.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.11 TBB Towing

Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$450 per occurrence.

If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursement of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the driveline and the vehicle has and is within the tow coverage.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

New Product Limited Warranty Statements

The following section outlines standard Limited Warranty (Warranty) statements for all new Daimler Trucks North America LLC (DTNA; Company) products sold by DTNA and domiciled in the USA (50 states and Washington, D.C.) and Canada. As necessary, information below may be divided by DTNA product type (vehicle/axle); this information is also included in the applicable Owner's Warranty Information Booklet.

Based on a product's specifications, Warranty coverage varies. For product-specific coverage information (time/ distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Coverage Information* screen in the OWL. General time/distance amounts and coverage descriptions are available by DTNA brand at *DTNAConnect* > *Warranty Lit* > *Other Warranty Documents* > <u>Coverages</u>.

3.1 New Vehicle Limited Warranty Statement

Under this New Vehicle Limited Warranty, DTNA warrants that each new vehicle will be free from defects in material and workmanship that occur under normal use within the applicable Warranty period, subject to certain limitations and exclusions as specified in this document.

This Limited Warranty applies only to new vehicles sold by an Authorized DTNA Service Location or ordered directly from DTNA; vehicles sold at auction or as a result of repossession retain the Warranty coverage from the original in-service date or factory invoice date if the vehicle has not been warranty registered.

DTNA reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

3.2 New Powertrain Component Statements

Engine components are covered by two types of warranties, the standard Limited Warranty and the Emission Control Systems Warranty, a requirement of the U.S. (Federal) Clean Air Act and Canada Motor Vehicle Safety Act. Axle and transmission components are covered by the standard Limited Warranty.

New Powertrain Component Limited Warranty

The New Product Limited Warranty covers product repairs to correct any malfunction occurring during the Warranty period resulting from defects in material or workmanship. This Limited Warranty applies to the first retail purchaser and subsequent retail owners during the applicable Warranty period of new powertrain components manufactured by Detroit Diesel and/or supplied by Detroit Diesel or Detroit Diesel of Canada Limited (all which are collectively referred to as Detroit), subject to certain limitations and exclusions as specified in this document.

The Warranty period begins on the date the product is delivered to the first retail purchaser or put in use prior to sale at retail, whichever occurs first, and ends at the specified time or distance limits.

The cost of service supplies which are not reusable due to needed repairs is covered by this Warranty. Reasonable towing costs to the nearest authorized service facility are covered when due to warrantable failure, the power-train component is either inoperable, cannot be safely operated, or continued operation would cause further damage to the product. Detroit will pay reasonable travel expenses for the repairing mechanic to travel to and from the repair site.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Engine Major Component Warranty Coverage

Engine major component warranty covers casting defects. Casted engine major components are: cylinder block/ head, crankshaft, camshaft, main bearing bolts, flywheel housing, connecting rod assemblies, oil cooler housing, water pump housing, and air inlet housing. Coverage is for the failed engine major component only; labor and additional parts are excluded. Progressive damage is limited to only the engine major component(s) affected by the failure.

Engines used in the on-highway application may carry longer coverage on engine major components; review the applicable Warranty parchment for coverage:

 MBE4000, Series 60, DD13, DD15, DD16 diesel fueled engines in on-highway applications (on-highway refers to a truck or coach designed and used to carry passengers and/or cargo, primarily on streets or paved highways)

Emission Control Systems Warranty

For detailed information about product compliance with U.S. and Canadian law regarding design, build, and equipment, see the <u>Emission Regulations (Diesel Vehicles</u>) section. Please note that emission-related components no longer covered under the Limited Warranty described above may still be covered under the Emission Control Systems Warranty.

Certified Engines and Engine Parts

The Warranty period shall begin on the date the vehicle is delivered to the first retail purchaser or, if the vehicle is first placed in service as a demonstrator prior to sale at retail, on the date the vehicle is first placed in such service. Emission related defects in the genuine Company components listed in the <u>Emission Regulations (Diesel Vehicles)</u> section, including reasonable related diagnostic costs, are covered by this Warranty.

Covered components and component terminology varies from engine to engine. Some scheduled maintenance is required (refer to the Owner's Emission Control Maintenance Service Chart which is included in the Warranty Information booklet). Please check the specific Warranty Information Booklet to determine which components are covered by the emissions control systems warranty.

Service Locations should refer to the applicable Engine Warranty Information booklet to determine if a particular component is covered by the Emission Control Systems Warranty, as the components covered differ on each engine type as well as from year to year.

3.3 Limitations

This Warranty does not apply to products that are sold or domiciled outside of the United States (50 states and Washington, D.C.) or Canada.

This Warranty does not apply to non-Detroit engines, Allison transmissions, tires, or other components or parts that are not manufactured by Company and that are warranted directly by their respective manufacturers. Progressive damage caused by these manufacturers' components to any other parts including, but not limited to, parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory or otherwise including, but not limited to, parts installed by Company is excluded from Company Warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory, or otherwise including, but not limited to, any Warranty of merchantability or fitness for a particular purpose.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTIC-ULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR LIMIT, WHICHEVER OCCURS FIRST).

Purchaser must notify Company, within the applicable Warranty period, of any failure of the product to comply with this Warranty and Purchaser must, at Purchaser's expense, promptly return the unit to an Authorized Service Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable Warranty period. During New Product coverage, Warranty reimbursement will not be paid on repairs performed by customers on their own vehicles without a current Customer Performed Warranty Agreement (CPWA).

The product must be maintained and serviced according to the prescribed schedules outlined in the Driver's/ Operator's and Maintenance Manuals. Receipted bills and other evidence showing that required maintenance and service have been performed are required by Company as a condition of this Warranty.

After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original Warranty period for the vehicle or for any specific component or part.

To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be inapplicable in such jurisdiction, and the remainder of the Warranty shall not be affected.

3.4 Purchaser's Exclusive Remedy

THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, TORT, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY.

3.5 Limitation of Liability

COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET VALUE OF THE PRODUCT AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTIC-IPATED PROFITS, OR LOSS OF PRODUCT USE.

3.6 Emission Regulations (Diesel Vehicles)

Vehicles and engines are designed, built, and equipped so as to conform, at the time of sale, with applicable regulations of the U.S. (Federal) Environmental Protection Agency (EPA), Emission Regulations under the Canada Motor Vehicle Safety Act in Canada, and the California Air Resources Board (CARB). Engines and vehicles are free from defects in material and workmanship which cause the engine to fail to conform with those regulations for the Warranty period. The Warranty period is 100,000 miles or five (5) years of engine operation, whichever occurs

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

first, or the New Product Warranty, if the product warranty is longer for all emission-related components except tires and 24,000 miles or two (2) years, whichever occurs first, for the tires.

The Warranty obligations are not dependent upon the use of any particular brand of replacement parts. The Owner may elect to use non-Genuine Company Parts for replacement purposes. Use of replacement parts which are not of equivalent quality may impair the effectiveness of emission control systems. If other than Genuine Company Parts are used for maintenance replacements or for the repair of components affecting emission controls, the Owner should assure himself/herself that such parts are warranted by their manufacturer to be equivalent to Genuine Company Parts in performance and durability.

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

Warranted Components

Unless otherwise noted, the Warranty period is 5 years/100,000 miles, whichever occurs first, or the New Product Warranty, if the product Warranty is longer for all emission-related components except tires.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	Greenhouse Gas (GHG) 14/17	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Aerodynamic Roof Fairings					x
Aerodynamic Roof Fairings (Adjustable Height)					x
Aerodynamic Side Fairings					x
Aftertreatment System (ATS) Aftertreatment Control Module (ACM)	x			х	
ATS Aftertreatment Device (ATD) Wiring Harness	x			х	
ATS Diesel Exhaust Fluid (DEF) Coolant Supply Valve & DEF Coolant Lines		x			
ATS DEF Pump	x			х	
ATS DEF Fuel Rail Pressure Sensor	x			х	
ATS DEF Fuel Pressure Sensor (Low)	x			х	
ATS DEF Low Dosing Unit	x			х	
ATS DEF System Air Pressure Regulator & Associated Air Lines		x			
ATS DEF System Chassis Interface Harness		Х			
ATS DEF Tank		x			
ATS DEF Tank DEF Level Gauge		x			
ATS DEF Tank DEF Temperature Sensor		x			
ATS DEF Tank Heater Tubing		x			
ATS DEF Temperature Sensor NOX Sensors	Х			Х	

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	Greenhouse Gas (GHG) 14/17	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
ATS Diesel Oxidation Catalyst (DOC) Inlet Temperature Sensor	x			х	
ATS DOC Outlet Temperature Sensor	Х			Х	
ATS Diesel Particulate Filter (DPF) Inlet Pressure Sensor	Х			Х	
ATS DPF Outlet Pressure Sensor	Х			Х	
ATS DPF Outlet Temperature Sensor	х			х	
ATS Doser Block Assembly	х			х	
ATS Electrically-Heated DEF Lines		x			
ATS Fuel Doser Valve	х			Х	
ATS Oxidation Catalyst	Х			Х	
ATS Particulate Filter	Х			Х	
ATS Selective Catalytic Reduction (SCR) Catalyst	Х			Х	
Air Cleaner (Excludes Filter Element)			Х		
Air Conditioning Component Leakage (Applies to Tractors Only)					x
Air Intake Pipes			Х		
Air Intake Resonator			Х		
Ambient Air Temperature (AAT) Sensor					x
Automatic Engine Shutdown Timer					x
Cam Sensor			х		
Camshaft Position Sensor	Х			Х	
Catalytic Converter			Х		
Charge Air Cooler		Х			
Charge Air Cooler Outlet Sensor	х			Х	
Coolant Outlet Temperature Sensor	х			Х	
Coolant Sensor			Х		
Crank Sensor			Х		
Crankshaft Position Sensor	х			Х	
Data Link Connector		X	Х		X
Delta P Sensor	X			х	

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	Greenhouse Gas (GHG) 14/17	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Engine Coolant Temp Sensor			х		
Engine Control Module (ECM)			Х		
Evap Canister & Evap Canister Vent Solenoid			х		
Exhaust Gas Piping from the Turbocharger out to the Last ATD		x			
Exhaust Gas Recirculation (EGR) Cooler	Х			Х	
EGR Valve & Actuator	Х			Х	
Exhaust Manifold & Exhaust Manifold Gaskets			Х		
Exhaust Pipes (Between Exhaust Manifold & Catalyst)			Х		
Fuel Injectors	х		Х	х	
Fuel Lines			Х		
Fuel Rail			Х		
Fuel Tank			Х		
Fuel Tank Fairings					X
Fuel Tank Pressure Sensor			Х		
Fuel Temperature Sensor	Х			Х	
Gap Reducing Fairings					X
Gas Cap			Х		
High Pressure Fuel Pump	Х			Х	
Ignition Coils			Х		
Intake Manifold Pressure Sensor	х			х	
Intake Manifold Temperature Sensor	х			х	
Intake Throttle Valve & Adaptor	х			х	
Knock Sensors			Х		
Malfunction Indicator Lamp (MIL)		x	х		X
Manifold Absolute Pressure (MAP) Sensor			х		
Mass Air Flow Sensor			х		
Motor Control Module (MCM)	х			Х	
Oxygen (O ₂) Sensors			х		
Oil Fill Cap			Х		

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	Greenhouse Gas (GHG) 14/17	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Oil Temperature Sensor	X			х	
Positive Crankcase Ventilation (PCV) Hose (Engine to Air Intake Pipe)			х		
Purge Control Valve			х		
Side Extenders					х
Spark Plugs ⁵			Х		
Spark Plug Wires			х		
Temperature-Barometric Air Pressure Sensor					Х
Throttle Body			Х		
Throttle Pedal			Х		
Tires ⁶					Х
Transmission Control Module			Х		
Transmission Speed Sensor			Х		
Turbo Speed Sensor	X			х	
Turbocharger	X			х	
Vapor Lines			Х		
Vehicle Speed Limiter					Х
Vehicle Speed Sensor (Transmission Main Shaft)		x			Х
Wait to Start Indicator/Lamp					Х

¹ Per California Emission Control Systems Warranty Statement, DTNA must warrant the emission control system components for the vehicle in accordance with either Diesel Emission 2010 or Gasoline Evaporative Emission 2011, whichever is applicable.

² Coverage period is 5 years/50,000 miles (80 500 km), whichever occurs first.

³ The following are excluded under Emissions coverage but are covered under standard New Vehicle Warranty coverage:

- ATS ACM Mounting Bracket and Protective Cover
- DEF Tank Mounting Brackets/Hardware
- DEF Pump Mounting and Protective Cover

⁴ Diesel Emission 2010 components and emission-related defects in the marked components listed are included in this coverage. Coverage duration:

- Spark-ignition vehicles and light heavy-duty vehicles 5 years/50,000 miles (80 500 km), whichever occurs first
- Medium and heavy heavy-duty vehicles 5 years/100,000 miles (161 000 km), whichever occurs first

⁵ Spark plugs are warranted under Basic Chassis coverage or until the first required maintenance, whichever comes first.

⁶ Coverage period is 2 years/24,000 miles, whichever occurs first.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

3.7 Coverage Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty.

<u>Note</u>: Parts found defective prior to installation must be filed as a Parts Adjustment Request (PAR) to the Parts Distribution Center (PDC).

Aerodynamic Wheel Covers

Aerodynamic wheel covers are excluded from coverage under Warranty.

Air Springs

Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can cause the springs to have the appearance of being crooked, misaligned, or improperly installed. This tolerance buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the ride or the durability of the components or vehicle. Straightening of these springs is not covered under Warranty.

Alignment of Axles/Wheels/Steering Wheel

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to center the steering wheel to DTNA specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under Warranty.

Any special alignment settings at the request of the Owner must be handled between the service location and Owner after delivery from factory. These special adjustments are not covered under Warranty.

Axle Breather Vents

During the manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent, applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty.

Cab Interior Components

The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or abuse are not covered under this Warranty.

These components include, but are not limited to:

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Chrome Surfaces, Aluminum, and Stainless Steel Components

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

- General rust (e.g., rust on the unfinished backside of a bumper)
- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear photo is provided that adequately shows the defect.

Clutch Adjustment

Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, if the clutch adjustment is found to be outside of Company specifications during, or prior to, product in-service, a claim will be accepted on a one-time basis.

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as Warranty).

Competition

Warranty will become void on any product that is used in competition including, but not limited to:

- Racing
- Tractor pulls
- Other motor sports

Consumable Parts

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000 km) for all DTNA vehicles except TBB bodies and chassis. TBB consumable parts are covered up to 30 calendar days from the date of in-service. These items are:

- Antennas (exception: satellite radio antennas)
- Ashtrays
- Belts
- Brake linings
- Cigarette lighter assembly

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Flash tubes
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas
- Light bulbs*
- Lower center bumper air dam
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-drier filter
- Trailer air hoses
- Trailer electrical cables
- Windshield washer nozzles
- Wiper arms and blades (TBB makes wiper blades only)

* Sealed light and LED assemblies are not considered consumable.

The cost of consumable parts which are not reusable due to needed warrantable repairs is covered by this Warranty; examples include but are not limited to:

- Antifreeze
- Coolant
- Filters
- Fluids
- Grease/lubricants
- Oil

Corrosion

Coverage provides Warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to specific components and/or caused by certain conditions are excluded from all Company Warranty coverage and will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, Aftermarket Parts Warranty, or Extended Service Coverage.

Exclusions to corrosion Warranty include, but are not limited to, the following:

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, compounds

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road surface
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- Corrosion or rust on tone rings, rotors, or drums
- Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals, tree sap, etc.), or other atmospheric conditions or other acts of nature
- Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient maintenance

Damage

The following are not covered under Warranty:

- Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build specifications
- Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or insufficient maintenance (including, but not limited to, failure to maintain vehicle as outlined in the Driver's/Operator's and Maintenance Manuals), overloading, unauthorized modifications, accidents, or operation at excessive speeds
- Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmospheric conditions, hailstones, or other acts of nature
- Damage caused by road salts/chemicals or cleaning solvents, detergents, or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- Damages (including peeling or flaking) caused by high-pressure washing or steam cleaning
- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by non-factory approved engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

Engine

Any DTNA engine in a vehicle on which odometer mileage has been changed so the mileage cannot be readily determined is excluded from Warranty.

Non-DTNA engines, including all of its components as supplied by the non-Company engine manufacturer, are excluded from Warranty but are warranted separately by the manufacturer of the engine. For non-DTNA engine warranty or service, contact the engine manufacturer's authorized sales and service facility.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Engine Brakes, Air Compressors, and Other Proprietary Engine Components

The engine manufacturer installs most air compressors and engine brakes. Any failure of a proprietary engine component or Jake Brake[®] component must be filed directly to the engine manufacturer.

Failures on Company engines and non-proprietary engine components can be filed through DTNA.

Exhaust System Clamps

During the early life of the vehicle or when the engine is cold, many exhaust clamps exhibit a soot trace. This condition is self-correcting and does not require adjustment, tightening, or replacement of the clamp. Claims for adjusting or tightening will not be paid under Warranty.

Fifth Wheels

Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock guards are considered routine maintenance and are not covered under this Warranty.

Glass, Mirrors, Lens

Conditions excluded from Warranty include but are not limited to:

- Breakage
- Chips
- Scratches
- Cracks

Initial Operating Period

During a vehicle's Initial Operating Period (IOP), repair on components found loose and included on a scheduled maintenance table may be reimbursed by Company. The IOP for DTNA vehicles is as follows:

Make	IOP ¹
Freightliner, Western Star	Up to 15,000 miles/24 000 km ²
FCCC	Up to 25,000 miles/40 000 km ²
TBB Bodies and TBB Chassis ³	Up to 6 months from in-service date

¹ IOP does not apply to powertrain components.

² The IOP begins at zero (0) distance; the in-service distance does not affect the IOP distance limits.

³ TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

Routine maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle; associated repairs/adjustments are covered under Basic Warranty unless the distance at which the condition occurs exceeds the published maintenance interval for the component.

• Components included on a scheduled maintenance table that have loosened at a time or distance exceeding the first scheduled maintenance <u>or</u> outside the IOP, whichever is greater, are not covered under Warranty and are the responsibility of the customer.

Components Found Loose <u>and</u> Included on a Scheduled Maintenance Table	Prior to First Scheduled Maintenance	After First Scheduled Maintenance
Within IOP	File Claim	File Claim
Outside IOP	File Claim	Customer Responsibility

• Components that do not appear on scheduled maintenance tables are not subject to IOP limitations and are covered per the applicable coverage and exclusions.

Consumable items are addressed separately from IOP; see <u>Consumable Parts</u> elsewhere in this section for details.

Exclusions from Warranty during the IOP are:

- Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transporter to prevent damage during transport. Subsequent adjustments and tightening of mirror mounting hardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims for adjusting the mirrors or tightening of the attaching hardware will not be paid under Warranty during or after the IOP.
- Claims for re-routing of electrical wiring, hoses, or lines which meet DTNA's routing standards will not be
 paid under Warranty during or after the IOP. However, if during the IOP, evidence of a potential failure
 (e.g., rubbing or chaffing that would lead to a short in a wire or a hole in a hose/line) is found where a
 line, hose, or electrical wiring is mis-installed and is making contact with one of the following, a one-time
 claim for correcting the routing will be accepted:
 - Hot surface
 - Moving part
 - Sharp edge

Such claims should be filed with 28 - Part Improperly Installed as the Cause code; photos that clearly show evidence of rubbing or chaffing due to mis-installation must be available upon request.

<u>Note</u>: Preventative re-routing for other conditions not listed above is not considered warrantable. However, if a line, hose, or electrical wiring actually fails (i.e., leaks or shorts) due to rubbing or chaffing on any surface, such failures are covered per the applicable coverage and exclusions.

• Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, and polishing exterior chromed or painted surfaces are considered as ordering location responsibilities. Claims for these activities will not be paid under Warranty during or after the IOP.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Loose Components

During the manufacturing process, certain components are placed in the cab of the vehicle or strapped down to the chassis. It is the service location's responsibility to mount these shipped loose items in the correct location on the vehicle. Mounting the shipped loose items below will not be covered under Warranty.

These items include, but may not be limited to:

- Aerodynamic wheel covers
 - Exception: Mounting covers on Freightliner Cascadia trucks may be reimbursed; varies by model/ specifications
- Antennas
- Chrome lug nut covers
- Decals & paperwork
- Driver's pouch
- Fire extinguishers
- Jacks
- License plate brackets
- Mattress
- Reflectors with flares
- Reflectors without flares
- Spare wheels/tires
- Tire inflation hoses
- Trailer cables (air/electrical)
- Winter fronts

Misapplication of Product

The Warranty on any product used inconsistent with its specified vocation/application will be downgraded to the Warranty that is consistent with product use. Any and all claims associated with the misapplication of the product will be subject to chargeback.

Miscellaneous Expenses

Premium charges and work not directly related to the repair or replacement of a warranted part are not covered under Warranty, unless specifically stated elsewhere in the applicable Warranty coverage. Examples include, but are not limited to:

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- General housekeeping supplies (e.g., shop rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance
- Repair or replacement of optional items not sold or installed by company
- Removal or replacement of service location, body builder, or customer installed equipment
- Environmental fees, cleanup, or other charges
- Cost of emergency services

Modifications to Original Equipment

Company does not warrant product modifications or equipment installations unless performed at a Company Custom Truck Services (CTS) Center. In addition, the extra time necessary to remove body builder-installed items and/ or equipment to work on a warrantable repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package.

If service locations or Customers perform any product modifications or equipment installations, to the extent these modifications or equipment installations adversely affect other vehicle components or vehicle performance, Company shall not accept any product liability or claims under the terms of the product Warranty. These claims become the sole responsibility of the person performing the modifications or equipment installations.

Paint

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- Removal and/or replacement of decals, striping, and/or lettering not applied by Company

Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not warrantable to such areas. These areas include:

- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss claims pertaining to gloss issues on vehicles painted with low-gloss colors (as identified in the Truck/Bus Sales Order) will not be covered under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Routine Maintenance

Routine or preventative maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are covered under Warranty one (1) time during the applicable IOP unless excluded above.

<u>Reminder</u>: After the IOP, these developments are the result of use and their repair/adjustment activities are considered routine maintenance and thus excluded from Warranty.

Tampering/Misuse

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

It is a violation of U.S. federal law to alter the engine, exhaust plumbing, after treatment system, diesel exhaust fluid system, or other vehicle components in any way that would bring the engine/vehicle out of compliance with certification requirements [Ref: 42 U.S.C. §7522(a)(3)]. It is the Owner's responsibility to maintain the vehicle so that it conforms to EPA regulations.

Test Products

Any product(s) used in testing must be identified to the Warranty Department and accommodations must be made for claims that relate to the test item(s).

Any product used in endurance testing, such as the Altoona Test, are void of all Warranty, including but not limited to New Product Warranty, Aftermarket Parts Warranty, Extended Service Coverage, or any Company additional or used truck coverage.

Tires and Tire Balancing

The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balancing is not covered under Warranty.

Transmissions (Non-Company)

Allison transmissions and components are not covered under this Warranty, but are warranted separately by Allison. Information regarding Allison's warranty is provided for informational purposes only and is subject to change. For warranty or service information, contact Allison's authorized sales and service facility.

Eaton Hybrid transmissions are not covered under this Warranty.

3.8 Transfer of Warranty

This Warranty is transferable to a subsequent Owner if it has not expired. To ensure the Owner receives proper Warranty recognition, the ownership information should be updated in OWL.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

3.9 Change of Owner Address Information

To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the Owner's information must be updated whenever there is a change to the Owner's name or address.

3.10 Product Improvement

Company reserves the right to make improvements or changes to the product at any time without incurring any obligation to make such changes or improvements to any other vehicle.

3.11 Owner's Responsibilities

DTNA provides Owner's Warranty Information booklets for Company products. When the Owner first receives a Company product, the service location should review the Owner's Warranty Information booklet(s) with the Owner. It is important that the new Owner becomes familiar with the contents about Warranty, parts replacement that affects emission controls, and maintenance service. It is the Owner's responsibility to ensure the product is maintained as outlined in the Driver's/Operator's and Maintenance Manuals and to maintain the vehicle so that it conforms to EPA regulations.

To initiate Warranty, the customer must complete and sign the Warranty Start Form (WAR275); service locations keep the signed form on file and provide to DTNA as an attachment in OWL. For TBB bodies and TBB chassis, customers should contact their TBB dealership to initiate Warranty.

As soon as a problem exists, the Owner is responsible for presenting the product to an Authorized Service Location. The Warranty repairs should be completed in a reasonable amount of time. The Owner should also be aware that DTNA may deny Warranty coverage if the product has failed due to abuse, neglect, improper maintenance, or unapproved modifications. DTNA recommends that Owners retain all receipts regarding product maintenance but Company cannot deny Warranty solely for the lack of receipts.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Thomas Battery and Drivetrain Base and Extended Warranties



System	Туре	Coverage	Time (years)	Distance (Miles)	Throughput (kwh/pack)	Pricing (\$)
	Deer	80% Initial Usable Capacity	8	175,000	200,000	Included
s and	Base	Materials & Workmanship	8	Unlimited	Unlimited	Included
terms	10 Year	80% Initial Usable Capacity	10	175,000	200,000	Additional
ery anty cions	Extended	Materials & Workmanship	10	Unlimited	Unlimited	Included
Battery warranty conditions	12 Year	70% Initial Usable Capacity	12	Unlimited	300,000	Additional
Battery *subject to warranty terms conditions	Extended	Materials & Workmanship	12	Unlimited	Unlimited	Included
*subj	15 year	70% Initial Usable Capacity	15	NA	800,000	Additional
	Extended	Materials & Workmanship	15	Unlimited	Unlimited	Included
uty ons	Base	Materials & Workmanship	5	100,000	n/a	Included
iin Aarrai nditic	Extended	Materials & Workmanship	5	150,000	n/a	Additional
Drivetrain *Subject to warranty terms and conditions	Extended	Materials & Workmanship	8	150,000	n/a	Additional
Dri ubject ms ar	Extended	Materials & Workmanship	10	150,000	n/a	Additional
*Su ter	Extended	Materials & Workmanship	12	250,000	n/a	Additional

Time and Distance Table

1.1 FCCC Electric School Bus Chassis

Coverage ¹		
Description	Time ²	Distance ²
Basic Chassis (Electric)	3 Years	50,000 mi/80 500 km
Battery (High Voltage)		
Materials and Workmanship	8 Years	Unlimited
80% of Initial Usable Capacity	8 Years	175,000 miles/281 750 km or 200 kWh
Battery (Low Voltage)	1 Year	100,000 mi/161 000 km
Brightwork	6 Months	Unlimited
Corrosion	6 Months	Unlimited
Cowl Corrosion	5 Years	Unlimited
Cowl Structure	5 Years	Unlimited
Crossmembers	5 Years	Unlimited
Emission Regulations		
California Air Resources Board (CARB) ³	3 Years	50,000 mi/80 500 km
Frame Rails	5 Years	Unlimited
Front/Steer Axle ⁴		
Detroit ⁵	5 Years	Unlimited
Non-Detroit	4 Years	Unlimited
Inverter (Electric)	5 Years	100,000 mi/161 000 km
Paint, Chassis	6 Months	Unlimited
Paint, Hood and Cowl ⁶	5 Years	Unlimited
Rear Axle ⁷		
Detroit ⁵	5 Years	Unlimited
Non-Detroit	4 Years	Unlimited
Towing/Roadside Assistance ⁸	6 Months	50,000 mi/80 500 km
Traction Motor (Electric)	5 Years	100,000 mi/161 000 km
Transmission (Electric)	5 Years	100,000 mi/161 000 km
¹ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For	on weight rating, road surfi	ace and vocation, coverage may vary. For

⁻ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For unit-specific coverage, Dealers should enter a product serial number or vehicle identification number on the *Coverage Info* screen in OWL; for customers without access to OWL, see ordering Dealer for more information.

² Time or distance, whichever comes first.

³ Applies to powertrain components in zero emission vehicles (ZEV) models 2021 and later domiciled in the U.S. and Canada.

⁴ Customers will have only one (1) type of front/steer axle coverage, either Detroit or non-Detroit, depending on how the unit is spec'd.

⁵ Access Detroit parchments at DTNAConnect > Warranty Lit > Coverages > Detroit; for customers without access, see ordering Dealer for more information.

⁶ Coverage is for adhesion only. See Coverage Descriptions that follow for additional information. ⁷ Customers will have only one (1) type of rear axle coverage, either Detroit or non-Detroit, depending on how the unit is spec'd.

⁸ Up to a maximum of \$550 per occurrence.

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty. DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

Coverage Descriptions

erage information (time/distance amounts and component descriptions), enter a product serial number or vehicle included as a row in the table and distance tables in conjunction with the coverage description paragraphs; if a coverage is applicable, it will be identification number (VIN) on the Check Info/Check Coverage screen in Online Warranty Link (OWL). Use time Based on a unit's specifications, New Product Limited Warranty (Warranty) coverage applies. For unit-specific cov-

2.1 Axles

Front/Steer Axle

Detroit

A steer axle is non-powered. Coverage includes all axle components supplied/manufactured by Detroit Diesel Cor-poration (Detroit). Warrantable components could include, but not be limited to, I-beam, steering knuckles, spindles, kingpins, kingpin bearings, and steering arms. Tie rod assembly and ends may have a different coverage and steering linkage components. period; see specific coverage row. *Excluded components could include, but not be limited to, wheel end equipment*

Non-Detroit

includes I-beam, steering knuckles, differential on drive steer axle, spindles, kingpins, kingpin bearings, and steerbushings, kingpin seals, tag axle(s), pusher axle(s), and any axle installed by a service location or body builder. ing arms. Excludes wheel end equipment, tie rod ends, steering linkage components, driveline(s), U-joints, kingpin A front/steer axle can be a front powered or non-powered axle. Coverage applies to factory-installed axles and

Pusher Axle

installed axles and includes all components included in the individual build specification of each individual appliload. Since the pusher axle can be of many different configurations, Warranty coverage applies to factorycation. Excludes any axle installed by a service location or body builder. A pusher axle is a non-driven, weight-bearing axle that can be raised when not required to bear a portion of the

Rear Axle

Detroit

assembly, differential assembly, power divider, and axle shafts. Seals and gaskets may have a different coverage A rear drive axle can be a single or tandem axle configuration. Coverage includes all axle components supplied/ manufactured by Detroit. Warrantable components could include, but not be limited to, axle housing, carrier torque rod brackets, wheel end equipment, wiring, yokes, and attaching hardware. period; see specific coverage row. Excluded components could include, but not be limited to, suspension and

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

Non-Detroit

suspension and torque rod brackets, tie rod ends, wheel end equipment, wiring, yokes, driveline(s), U-joints, A rear axle could be a drive, non-drive, or tandem axle. Coverage applies to factory-installed axles and includes axle housing, carrier assembly, differential assembly, power divider, axle shafts, and gaskets and seals. *Excludes* attaching hardware, tag axle(s), pusher axle(s), and any axle installed by a service location or body builder.

Tag Axle

tions, Warranty coverage applies to factory-installed axles and includes all components included in the individual build specification of each individual application. Excludes any axle installed by a service location or body builder. A tag axle is a non-driven, continuous weight-bearing axle. Since the tag axle can be of many different configura-

2.2 Basic Chassis/Vehicle (Electric)

Note: Basic Chassis (Electric) applies to Freightliner Custom Chassis Corporation (FCCC) products; Basic Vehicle (Electric) applies to Freightliner and Thomas Built Bus (TBB) products.

coverage table. See the Warranty Manual for a complete list of exceptions and exclusions. Also excluded are com-Warranty or described as having a different time, or distance, or hours, or listed separately on each new vehicle ponents warranted directly by component manufacturer. Coverage includes all factory-installed components of the chassis/vehicle that are not excluded elsewhere in the

2.3 Battery (High Voltage)

Materials and Workmanship

dard Limited Warranty documentation for drivetrain and battery system; Proterra Warranty documents can be tomer or any third-party maintenance provider will void the Warranty. A Proterra-certified technician will perform purchase or lease agreement), and freight costs incurred during the Warranty period. The battery pack cannot be accessed on Proterra's website. all necessary repairs to the battery pack. Complete Warranty terms and conditions are available in Proterra's Stanserviced by the customer or any third-party maintenance provider; any servicing of the battery pack by the cus-Coverage includes the parts, labor (if applicable and in accordance with the terms of this Warranty and/or any

80% of Initial Usable Capacity

battery pack, whichever comes first. "Gross discharge throughput" means the total energy discharged through the battery pack during its life, including energy from external chargers and energy recuperated from regenerative new condition. Proterra warrants 78 kWh available energy (80% of the initial available energy of 97 kWh) per bat-tery pack as follows: eight (8) years, 175,000 miles/281 750 km, or 200,000 kWh of gross discharge throughput per The TBB C2 Jouley School Bus has two (2) battery packs with nameplate energy of 110 kWh each, for total name-plate energy of 220kWh. For battery packs with nameplate energy of 110 kWh, the available energy is 97 kWh in energy stated in the specifications, bid proposal, and/or contract, divided by the number of battery packs (e.g., pack level and reported through the onboard telemetry system. "Nameplate energy" means the amount of braking. The gross discharge throughput will be tracked by the battery management system (BMS) at the battery battery packs at 220 kWh would have 110 kWh nameplate energy per battery pack).

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

2.4 Battery (Low Voltage)

non-DTNA brand batteries, battery cables, battery mounting box, and hardware. be submitted directly to the supplier. Low voltage battery warranty includes factory-installed cranking (starter) Coverage includes Alliance*, NorthStar, and DTNA Genuine brand batteries only; claims for all other brands must battery assemblies only. Excludes auxiliary power unit (APU) battery assemblies, non-Alliance, non-NorthStar, and

*Detroit brand batteries of the same group and amperage are interchangeable with Alliance brand batteries and carry the same coverage period.

2.5 Brightwork

surfaces. Excludes any damage to backside of bumpers, and concealed or inner surfaces. Coverage includes all factory-installed components with chrome, polished aluminum, or polished stainless steel

2.6 Corrosion

Coverage includes Warranty against corrosion to any metal or metal alloy part of the vehicle

Excludes:

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- Corrosion caused by severe wash solutions, cleaning solvents, detergents, compounds
- face Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road sur-
- nance Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient mainte-
- Corrosion due to ocean spray
- . other atmospheric conditions, or other acts of nature Corrosion due to environmental damage, including airborne fallout (includes chemicals, tree sap, etc.), or
- Corrosion due to damage caused by high-pressure washing
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- Corrosion or rust on tone rings, rotors, or drums

2.7 Cowl Corrosion

of rust or corrosion that have not resulted in rust-through or perforation as well as surface rust or corrosion caused Coverage is limited to rust-through or perforation of the cowl due to corrosion from within. Excludes all conditions by non-adhesion and any damage to the paint such as chips or scratches

2.8 Cowl Structure

(e.g., hood hinges, latches, guides, or other mounting hardware). Coverage includes cowl structural components, sheet metal panels, and hood. Excludes all bolt-on components

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

2.9 Crossmembers

gussets/crossmembers to frame rails. Excludes any bolt-on item attached with either conventional or huck bolts. Coverage includes crossmembers, gussets, and huck-mounting bolts that attach gussets to crossmembers and

2.10 Frame Rails

Coverage is limited to breaking or cracking of factory-installed frame rails, frame rail liners, frame rail extensions, and any item(s) factory welded to them. Excludes all bolt-on items attached with either conventional or huck bolts.

2.11 Inverter (Electric)

and solenoids. Coverage includes system components including, but not limited to, inverter, cables, mounts, sensors, switches,

2.12 Paint (Chassis)

Excludes U-joints and any damages to paint or painted surface such as chips and scratches. Coverage includes all factory-painted surfaces on frame rails, crossmembers/gussets, front and rear bumpers, susbattery boxes, access steps, attaching brackets and hardware, and defects such as peeling or non-adhesion. pension components, powertrain components, drivelines, fuel tanks, air tanks, wheel end equipment, tool boxes,

2.13 Paint (Hood and Cowl)

Coverage includes factory-painted hood and cowl against adhesion only. Excludes factory-painted surfaces included in chassis paint coverage, orange peel, cracking or checking or loss of gloss due to cracking, checking, or hazing, the undersides of hoods, and any damages to the paint or painted surface such as chips and scratches.

2.14 Towing/Roadside Assistance

tomer requests towing to a location beyond the distance to the nearest Authorized Service Location, the customer coverage on the Coverage Information screen in OWL; coverage will display as a separate category. If the cuswarrantable repair in a vehicle-down situation that prevents the safe and lawful operation of the vehicle. Verify will be responsible for the additional charges. Coverage may include emergency roadside assistance or towing to the nearest Authorized Service Facility for a

2.15 Traction Motor (Electric)

switches, and solenoids. Coverage includes system components including, but not limited to, traction motor, cables, mounts, sensors,

Daimler Trucks North America, LLC. is a Daimler company

Revised 5/1/20

2.16 Transmission (Electric)

solenoids. Coverage includes system components including, but not limited to, transmission, coupler, sensors, switches, and

Daimler Trucks North America, LLC. is a Daimler company.

WAR601 Revised 5/1/20

Copyright (c) Daimler Trucks North America, LLC. All rights reserved.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

New Product Limited Warranty Statements

tion is also included in the applicable Owner's Warranty Information Booklet. America LLC (DTNA; Company) products sold by DTNA and domiciled in the USA (50 states and Washington, D.C.) and Canada. As necessary, information below may be divided by DTNA product type (vehicle/axle); this informa-The following section outlines standard Limited Warranty (Warranty) statements for all new Daimler Trucks North

distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Coverage Information* screen in the OWL. General time/distance amounts and coverage descriptions Based on a product's specifications, Warranty coverage varies. For product-specific coverage information (time/ are available by DTNA brand at DTNAConnect > Warranty Lit > Other Warranty Documents > Coverages

3.1 New Vehicle Limited Warranty Statement

Under this New Vehicle Limited Warranty, DTNA warrants that each new vehicle will be free from defects in mateitations and exclusions as specified in this document. rial and workmanship that occur under normal use within the applicable Warranty period, subject to certain lim-

original in-service date or factory invoice date if the vehicle has not been warranty registered. directly from DTNA; vehicles sold at auction or as a result of repossession retain the Warranty coverage from the This Limited Warranty applies only to new vehicles sold by an Authorized DTNA Service Location or ordered

DTNA reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

3.2 **Detroit New Axle Warranty Statement**

collectively referred to as Detroit), subject to certain limitations and exclusions as specified in this document. tured by Detroit Diesel and/or supplied by Detroit Diesel or Detroit Diesel of Canada Limited (all which are period resulting from defects in material or workmanship. This Limited Warranty applies to the first retail pur-The New Axle Limited Warranty covers product repairs to correct any malfunction occurring during the Warranty chaser and subsequent retail owners during the applicable Warranty period of new axle components manufac-

sale at retail, whichever occurs first, and ends at the specified time or distance limits. The Warranty period begins on the date the product is delivered to the first retail purchaser or put in use prior to

either inoperable, cannot be safely operated, or continued operation would cause further damage to the product. towing costs to the nearest authorized service facility are covered when due to warrantable failure, the axle is Detroit will pay reasonable travel expenses for the repairing mechanic to travel to and from the repair site The cost of service supplies which are not reusable due to needed repairs is covered by this Warranty. Reasonable

3.3 Limitations

Washington, D.C.) or Canada. This Warranty does not apply to products that are sold or domiciled outside of the United States (50 states and

gressive damage caused by these manufacturers' components to any other parts including, but not limited to, that are not manufactured by Company and that are warranted directly by their respective manufacturers. Pro-This Warranty does not apply to non-Detroit engines, Allison transmissions, tires, or other components or parts

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

pany makes no Warranty whether express, implied, statutory or otherwise including, but not limited to, parts installed by Company is excluded from Company Warranty coverage. With respect to the foregoing, Company of merchantability or fitness for a particular purpose. makes no Warranty whether express, implied, statutory, or otherwise including, but not limited to, any Warranty parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Com-

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, ULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTIC-FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST LIMIT, WHICHEVER OCCURS FIRST). TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE

performed by customers on their own vehicles without a current Customer Performed Warranty Agreement Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable Warranty period. During New Product coverage, Warranty reimbursement will not be paid on repairs with this Warranty and Purchaser must, at Purchaser's expense, promptly return the unit to an Authorized Service (CPWA) Purchaser must notify Company, within the applicable Warranty period, of any failure of the product to comply

and service have been performed are required by Company as a condition of this Warranty. Operator's and Maintenance Manuals. Receipted bills and other evidence showing that required maintenance The product must be maintained and serviced according to the prescribed schedules outlined in the Driver's/

ranty period for the vehicle or for any specific component or part. Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original War-After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this

inapplicable in such jurisdiction, and the remainder of the Warranty shall not be affected To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be

3.4 Purchaser's Exclusive Remedy

FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS STRICT LIABILITY, OR ANY OTHER LEGAL THEORY. THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN TORT,

3.5 Limitation of Liability

SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S VALUE OF THE PRODUCT AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES IPATED PROFITS, OR LOSS OF PRODUCT USE. INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTIC-

ω. 6 **Emission Regulations (Zero Emission Vehicles)**

uct Warranty, if the product warranty is longer for all emission-related components. rial and workmanship which cause the vehicle to fail to conform with those regulations for the Warranty period. ments of vehicle manufacturers to meet applicable powertrain model year 2021 and later California Air Resources Zero emission vehicles (ZEV) are designed, built, and equipped so as to conform, at the time of sale, with require-The Warranty period is 50,000 miles or three (3) years of ZEV operation, whichever occurs first, or the New Prod-Board (CARB) Zero Emissions Vehicle Standards for Powertrain Components. ZEVs are free from defects in mate-

should assure himself/herself that such parts are warranted by their manufacturer to be equivalent to Genuine The Warranty obligations are not dependent upon the use of any particular brand of replacement parts. The Company Parts in performance and durability. Parts are used for maintenance replacements or for the repair of components affecting ZEV controls, the Owner are not of equivalent quality may impair the effectiveness of ZEV control systems. If other than Genuine Company Owner may elect to use non-Genuine Company Parts for replacement purposes. Use of replacement parts which

mended fuel or non-performance of required maintenance services are not covered. Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recom-

3.7 Coverage Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty,

tribution Center (PDC). <u>Note</u>: Parts found defective prior to installation must be filed as a Parts Adjustment Request (PAR) to the Parts Dis-

Aerodynamic Wheel Covers

Aerodynamic wheel covers are excluded from coverage under Warranty

Air Springs

ride or the durability of the components or vehicle. Straightening of these springs is not covered under Warranty. buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the cause the springs to have the appearance of being crooked, misaligned, or improperly installed. This tolerance Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can

Alignment of Axles/Wheels/Steering Wheel

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to cen-ter the steering wheel to DTNA specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under Warranty.

Owner after delivery from factory. These special adjustments are not covered under Warranty. Any special alignment settings at the request of the Owner must be handled between the service location and

Axle Breather Vents

applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty. During the manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent,

Cab Interior Components

abuse are not covered under this Warranty. The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or

These components include, but are not limited to

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

Chrome Surfaces, Aluminum, and Stainless Steel Components

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

- General rust (e.g., rust on the unfinished backside of a bumper)
- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear photo is provided that adequately shows the defect.

Clutch Adjustment

if the clutch adjustment is found to be outside of Company specifications during, or prior to, product in-service, claim will be accepted on a one-time basis. Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, ച

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as Warranty).

Specifications are DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. subject to change without notice. Intended for general information only, not offered as customer's Warranty

Competition

Warranty will become void on any product that is used in competition including, but not limited to:

- Racing
- Tractor pulls
- Other motor sports

Consumable Parts

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000 km) for all DTNA vehicles except TBB bodies and chassis. TBB consumable parts are covered up to 30 calendar days from the date of in-service. These items are:

- Antennas (exception: satellite radio antennas)
- Ashtrays
- Belts
- Brake linings
- Cigarette lighter assembly
- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Flash tubes
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas
- Light bulbs*
- Lower center bumper air dam
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-drier filter
- Trailer air hoses
- Trailer electrical cable
- Trailer electrical cables
- Windshield washer nozzles
- Wiper arms and blades (TBB makes wiper blades only)

Sealed light and LED assemblies are not considered consumable.

ranty; examples include but are not limited to: The cost of consumable parts which are not reusable due to needed warrantable repairs is covered by this War-

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty. DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

- Antifreeze
- Coolant
- Filters
- Fluids
- Grease/lubricants

Corrosion

will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, Aftermarket Parts Warranty, or Extended Service Coverage specific components and/or caused by certain conditions are excluded from all Company Warranty coverage and Coverage provides Warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to

Exclusions to corrosion Warranty include, but are not limited to, the following

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- spunod Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, com-
- face Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road sur-
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- . Corrosion or rust on tone rings, rotors, or drums
- tree sap, etc.), or other atmospheric conditions or other acts of nature Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals,
- nance Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient mainte-

Damage

The following are not covered under Warranty:

- specifications Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build
- . Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or operation at excessive speeds Driver's/Operator's and Maintenance Manuals), overloading, unauthorized modifications, accidents, or insufficient maintenance (including, but not limited to, failure to maintain vehicle as outlined in the
- spheric conditions, hailstones, or other acts of nature Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmo-
- Damage caused by road salts/chemicals or cleaning solvents, detergents, or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- •
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- . Damages (including peeling or flaking) caused by high-pressure washing or steam cleaning

Specifications DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. are subject to change without notice. Intended for general information only, not offered as customer's Warranty

- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by non-factory approved engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

Fifth Wheels

guards are considered routine maintenance and are not covered under this Warranty. Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock

Glass, Mirrors, Lens

Conditions excluded from Warranty include but are not limited to:

- Breakage
- Chips
- Scratches
- Cracks

Initial Operating Period

During a vehicle's Initial Operating Period (IOP), repair on components found loose and included on a scheduled maintenance table may be reimbursed by Company. The IOP for DTNA vehicles is as follows:

Up to 6 months from in-service date	TBB Bodies and TBB Chassis ³
Up to 25,000 miles/40 000 km²	FCCC
Up to 15,000 miles/24 000 km²	Freightliner, Western Star
IOP1	Make

¹ IOP does not apply to powertrain components.

² The IOP begins at zero (0) distance; the in-service distance does not affect the IOP distance limits

³ TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

Routine maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

tenance adjustments and are not covered under Warranty. Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered main-

connections may develop during the initial trip(s) of the vehicle; associated repairs/adjustments are covered Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical val for the component. under Basic Warranty unless the distance at which the condition occurs exceeds the published maintenance inter-

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

. ing the first scheduled maintenance <u>or</u> outside the IOP, whichever is greater, are not covered under War-ranty and are the responsibility of the customer. Components included on a scheduled maintenance table that have loosened at a time or distance exceed-

Outside IOP	Within IOP	Components Found Loose <u>and</u> Included on a Scheduled Maintenance Table
File Claim	File Claim	Prior to First Scheduled Maintenance
Customer Responsibility	File Claim	After First Scheduled Maintenance

. Components that do not appear on scheduled maintenance tables are not subject to IOP limitations and are covered per the applicable coverage and exclusions.

Consumable items are addressed separately from IOP; see <u>Consumable Parts</u> elsewhere in this section for details.

Exclusions from Warranty during the IOP are:

- or after the IOP. for adjusting the mirrors or tightening of the attaching hardware will not be paid under Warranty during Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transhardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims porter to prevent damage during transport. Subsequent adjustments and tightening of mirror mounting
- claim for correcting the routing will be accepted: paid under Warranty during or after the IOP. However, if during the IOP, evidence of a potential failure line, hose, or electrical wiring is mis-installed and is making contact with one of the following, a one-time (e.g., rubbing or chaffing that would lead to a short in a wire or a hole in a hose/line) is found where Claims for re-routing of electrical wiring, hoses, or lines which meet DTNA's routing standards will not be ىە
- 0 Hot surface
- 0 Moving part
- 0 Sharp edge

Such claims should be filed with 28 - Part Improperly Installed as the Cause code; photos that clearly show evidence of rubbing or chaffing due to mis-installation must be available upon request.

ever, if a line, hose, or electrical wiring actually fails (i.e., leaks or shorts) due to rubbing or chaffing on any surface, such failures are covered per the applicable coverage and exclusions. <u>Note</u>: Preventative re-routing for other conditions not listed above is not considered warrantable. How-

• are considered as ordering location responsibilities. Claims for these activities will not be paid under War-ranty during or after the IOP. Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, and polishing exterior chromed or painted surfaces

Loose Components

the vehicle. Mounting the shipped loose items below will not be covered under Warranty. the chassis. It is the service location's responsibility to mount these shipped loose items in the correct location on During the manufacturing process, certain components are placed in the cab of the vehicle or strapped down to

These items include, but may not be limited to:

Revised 5/1/20

WAR601 Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

- Aerodynamic wheel covers
- 0 specifications Exception: Mounting covers on Freightliner Cascadia trucks may be reimbursed; varies by model/
- Antennas
- Chrome lug nut covers
- Decals & paperwork
- Driver's pouch
- Fire extinguishers
- Jacks
- License plate brackets
- Mattress
- Reflectors with flares
- Reflectors without flares
- Spare wheels/tires
- Tire inflation hoses
- Trailer cables (air/electrical)
- Winter fronts

Misapplication of Product

The Warranty on any product used inconsistent with its specified vocation/application will be downgraded to the Warranty that is consistent with product use. Any and all claims associated with the misapplication of the product will be subject to chargeback.

Miscellaneous Expenses

are not limited to: under Warranty, unless specifically stated elsewhere in the applicable Warranty coverage. Examples include, but Premium charges and work not directly related to the repair or replacement of a warranted part are not covered

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo
- General housekeeping supplies (e.g., shop rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance
- Repair or replacement of optional items not sold or installed by company
- Removal or replacement of service location, body builder, or customer installed equipment

- Environmental fees, cleanup, or other charges
- Cost of emergency services

Modifications to Original Equipment

tom Truck Services (CTS) Center. In addition, the extra time necessary to remove body builder-installed items and/ or equipment to work on a warrantable repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package. Company does not warrant product modifications or equipment installations unless performed at a Company Cus-

claims become the sole responsibility of the person performing the modifications or equipment installations. mance, Company shall not accept any product liability or claims under the terms of the product Warranty. These these modifications or equipment installations adversely affect other vehicle components or vehicle perfor-If service locations or Customers perform any product modifications or equipment installations, to the extent

Paint

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- . Removal and/or replacement of decals, striping, and/or lettering not applied by Company

warrantable to such areas. These areas include: Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not

- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss claims pertaining to gloss issues on vehicles painted with low-gloss colors (as identified in the Truck/Bus Sales Order) will not be covered under Warranty.

Routine Maintenance

Routine or preventative maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

tenance adjustments and are not covered under Warranty. Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered main-

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

ered under Warranty one (1) time during the applicable IOP unless excluded above. connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are cov-Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical

sidered routine maintenance and thus excluded from Warranty. Reminder: After the IOP, these developments are the result of use and their repair/adjustment activities are con-

Tampering/Misuse

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

certification requirements [Ref: 42 U.S.C. §7522(a)(3)]. It is the Owner's responsibility to maintain the vehicle so fluid system, or other vehicle components in any way that would bring the engine/vehicle out of compliance with It is a violation of U.S. federal law to alter the engine, exhaust plumbing, after treatment system, diesel exhaust that it conforms to EPA regulations.

Test Products

Any product(s) used in testing must be identified to the Warranty Department and accommodations must be made for claims that relate to the test item(s).

Any product used in endurance testing, such as the Altoona Test, are void of all Warranty, including but not limited to New Product Warranty, Aftermarket Parts Warranty, Extended Service Coverage, or any Company additional or used truck coverage.

Tires and Tire Balancing

ing is not covered under Warranty. The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balanc-

3.8 Transfer of Warranty

This Warranty is transferable to a subsequent Owner if it has not expired

To ensure the Owner receives proper Warranty recognition, the ownership information should be updated in

3.9 **Change of Owner Address Information**

Owner's information must be updated whenever there is a change to the Owner's name or address To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the

3.10 Product Improvement

Company reserves the right to make improvements or changes to the product at any time without incurring any obligation to make such changes or improvements to any other vehicle

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

3.11 Owner's Responsibilities

ment that affects emission controls, and maintenance service. It is the Owner's responsibility to ensure the prod-Owner. It is important that the new Owner becomes familiar with the contents about Warranty, parts replacethat it conforms to EPA regulations. uct is maintained as outlined in the Driver's/Operator's and Maintenance Manuals and to maintain the vehicle so Company product, the service location should review the Owner's Warranty Information booklet(s) with the DTNA provides Owner's Warranty Information booklets for Company products. When the Owner first receives ىە

must attach the Warranty Start Form to the Product Registration screen in OWL. To initiate Warranty, the customer must complete and sign the Warranty Start Form (WAR275); service locations

that DTNA may deny Warranty coverage if the product has failed due to abuse, neglect, improper maintenance, or tion. The Warranty repairs should be completed in a reasonable amount of time. The Owner should also be aware As soon as a problem exists, the Owner is responsible for presenting the product to an Authorized Service Loca-Company cannot deny Warranty solely for the lack of receipts. unapproved modifications. DTNA recommends that Owners retain all receipts regarding product maintenance but

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. WAR601



Standard Limited Warranty Battery System

stated below, and subject to compliance in all respects with the approved use conditions set forth at the bottom of this Standard Limited Warranty. Proterra agrees to repair or replace defective parts at no additional cost to the purchaser/lessee subject to the terms and conditions set forth herein. This is a limited warranty subject to the terms and conditions Proterra Inc. ("Proterra") warrants to the original purchaser/lessee that its Battery System ("Battery") will be free from material defects in material and workmanship under normal use and when properly serviced.

enclosure ("Pack") may not be serviced by the purchaser/lessee or any third party maintenance provider, and any such servicing of the Pack by purchaser/lessee or any third party maintenance provider voids the accordance with the terms of this warranty and the purchase/lease agreement) and any associated freight Proterra's Standard Limited Battery System Warranty ("Warranty") applies to the internal Battery components listed below. The warranty covers 100% of the parts, labor reimbursement (if applicable in Warranty. costs during the warranty time period identified below. Battery components contained within the main battery Proterra technicians will perform all necessary repairs required internal to the Pack.

Coverage Periods:

Materials and Workmanship: 8 years / unlimited miles

8 years / or 175,000 miles / or 200,000

80% of Initial Usable Capacity: kWh of gross discharge throughput per pack

The warranted usable capacity at 8 years, the accumulated mileage limit, or the gross discharge throughput limit (whichever comes first) will be at least 80% of initial usable capacity.

Interand is tracked by the BMS at the pack level and reported through telemetry. This includes energy discharged while powering auxiliary systems as well as energy discharged which was recuperated from regenerative braking. "Gross Discharge Throughput" is defined as the total energy discharged through the battery pack during its

can be found in the maintenance and repair manual. The procedure for determining percentage of usable capacity (also referenced as 'state of health' or 'SOH')

The Battery is defined as the main high voltage energy storage system and consists of the following

- Battery modules and components internal to the Pack
- Battery management system (BMS) electronics
- Cooling system components internal to the Pack
- Pack enclosure
 All electrical connections and components internal to the Pack

Р

Manual Service Disconnect (MSD)

with latest design. before the failure occurred. Where applicable, Proterra reserves the right to upgrade parts or assemblies factory reconditioned components that have an energy capacity at least equal to that of the original Battery assemblies. A warrantable defect may be addressed by software updates, replacing internal parts, or replacing These replacement parts may be identical or equivalent substitutes. Repairs may include

components that have reached the end of their service life due to SOH Proterra retains ownership of any components that are removed and/or replaced including any system

components with different items of equal or better performance Due to the pace of battery technology development, Proterra reserves the right to replace

following events induced or caused by the purchaser/lessee or other third party: The Warranty does NOT cover malfunction, failure, or loss of capacity of the Battery System due to the

- items Alteration or modification of any Battery part or assembly or combination of the Battery with third party
- Misuse or negligent use of the Battery, including but not limited to, purchaser's, lessee's or a third Proterra party's failure to follow Proterra operating guidelines contained in the manual made available by
- Exposing the vehicle to ambient temperatures above 140°F (60°C) or below -22°F (-30°C) for more than 24 hours at a time
- Physically damaging the Battery, or intentionally attempting, either by physical means programming, or other methods, to extend or reduce the life of the Battery
- Exposing the Battery to direct flame
- Flooding of the Battery
- Intentional or accidental collision
- Acts of Nature
- training for the Battery System Neglect or failure to perform the Preventative Maintenance outlined in the maintenance service
- contract Unauthorized use or operation outside of the terms and conditions of the applicable purchase/lease
- Unauthorized or improper maintenance and repair by non-Proterra personne
- Intentional acts of destruction, tampering or vandalism

with the terms of the applicable purchase/lease contract The start of the Standard Limited W arranty term is the date of acceptance of each school bus in accordance

of Proterra. Proterra administers the warranty process and all warranty claims are at the sole and absolute discretion

above documentation will not provide any compensation, labor, repairs, or replacement part to the purchaser/lessee without the inspection of the failed component and supporting documentation to make a claim determination. Proterra failed component along with the proper documentation and warranty claim form. In connection with any claim brought under this limited warranty, the purchaser/lessee must provide the Proterra will perform an

EXCEPT EXPRESSLY AS SET FORTH IN THIS WARRANTY, PROTERRA EXPRESSLY DISCLAIMS ANY OTHER WARRANTIES OR GUARANTEES, EXPRESS OR IMPLIED, AS TO THE QUALITY OR

PERFORMANCE OF THE BATTERIES AND/OR THE PACKS.

APPROVED USE CONDITIONS DURING THE ENTIRE APPLICABLE WARRANTY PERIOD, THEN THIS STANDARD LIMITED WARRANTY SHALL NOT APPLY. IF THE ORIGINAL PURCHASER/LESSEE DOES NOT COMPLY IN ALL RESPECTS WITH THE BELOW THIS STANDARD LIMITED WARRANTY IS SUBJECT TO COMPLIANCE IN ALL RESPECTS DURING THE ENTIRE APPLICABLE WARRANTY PERIOD WITH THE BELOW APPROVED USE CONDITIONS.

APPROVED USE CONDITIONS

The Batteries shall be used in accordance with the Battery Services Agreement between Customer and Proterra, as well as in accordance with the following use conditions:

Storage SOC Range	When not installed in a vehicle, batteries shall be stored between 5% and 20% SOC.
Excursions "Below Empty"	Excursions below 0% SOC, as indicated by the dash, shall be limited to no more than 30 occurrences in the initial 6 year SOH warranty period.
Storage Temperature Range Excursions	The battery may be stored at temperatures which occur in the range from -40degC to +60degC. Storing at temperatures above +30degC should be limited to no more than 10% of the storage period. Storing at temperatures above +40degC should be limited to no more than 5% of the storage period.
Recommended Nominal Storage Temperature Range	To maximize life, the battery pack should be stored in the range from -20degC to +30degC.



Standard Limited Warranty Proterra Drivetrain

material and workmanship under normal use and when properly serviced. Proterra agrees to repair or replace Proterra Inc. ("Proterra") warrants to the original purchaser/lessee that its drivetrain will be free from defects in This is a limited warranty subject to the terms and conditions stated below and is referred to as Proterra's Standard Such repair or replacement shall be the sole and exclusive remedy for any breach of warranty contained herein. defective parts at no additional cost to the purchaser/lessee subject to the terms and conditions set forth herein. Drivetrain Warranty.

agreement) and any associated freight costs during the warranty time period identified below. Proterra's Standard Drivetrain Warranty applies to the components listed below. The warranty covers 100% of the parts, labor reimbursement (if applicable in accordance with the terms of this warranty and the purchase/lease

	The Coverage Period is the lesser of:	e Period is t	he lesser of:
	Term (yrs)	OR	Term (yrs) OR Miles
Traction motor	5 yrs		100,000
Inverter	5 yrs		100,000
Transmission	5 Vrs		100,000

caused by the purchaser/lessee or other third party: This warranty does NOT cover malfunction or failure of the drivetrain due to the following events induced or

- 0 Alteration or modification of any part of the drivetrain with any third party item
- 0 third party's failure to follow Proterra's operating manual Misuse or negligent use of the drivetrain, including but not limited to purchaser's, lessee's or a
- 0 Intentional or accidental Collision
- Acts of Nature
- 0 0 documentation for the bus Neglect or Failure to perform the Preventative Maintenance outlined in the maintenance
- 0 contract Unauthorized use or operation outside of the terms and conditions of the applicable lease
- Improper maintenance and repair
- 0 0 Intentional acts of destruction, tampering or vandalism

including, but not limited to any consumable items that are the sole responsibility of the purchaser/lessee For the avoidance of doubt, this warranty does not include the replacement of normal maintenance items

The start of the Standard Limited Drivetrain Warranty term is the d accordance with the terms of the applicable purchaser/lease contract. Standard Limited Drivetrain Warranty term is the date of acceptance of each school bus 3

EXCEPT FOR THE OBLIGATIONS, WARRANTIES AND REPRESENTATIONS SPECIFIED HEREIN, PROTERRA MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, SPECIFICALLY DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, AND SPECIFICALLY DISCLAIMS ANY WARRANTY ARISING BY USAGE OF TRADE OR BY COURSE OF DEALING.

Proterra. Proterra administers the warranty process and all warranty claims are at the sole and absolute discretion of

the failed component and supporting documentation to make a claim determination. Proterra will not provide any component along with the proper documentation and warranty claim form. Proterra will perform an inspection of In connection with any claim brought under this limited warranty, the purchaser/lessee must provide the failed compensation, labor, repairs, or replacement part to the purchaser/lessee without the above documentation.

specific system warranty document. This warranty document does not include the Battery System. Please refer to that

Time and Distance Table

1.1 TBB C2 Jouley School Bus

Coverage ¹		
Body Component	Time ²	Distance ²
TBB A/C System	3 Years	50,000 mi/80 500 km
TBB Basic Body (Type C)	3 Years	50,000 mi/80 500 km
TBB Manufactured Components	3 Years	50,000 mi/80 500 km
TBB Miscellaneous (Accessories, Compartments, etc.)	3 Years	50,000 mi/80 500 km
TBB Paint	5 Years	Unlimited
TBB Passenger Doors	3 Years	50,000 mi/80 500 km
TBB Seat and Barrier Frames	5 Years	Unlimited
TBB Seats, Barriers, and Stanchions	3 Years	50,000 mi/80 500 km
TBB Storm Glass and Windows	3 Years	50,000 mi/80 500 km
TBB Structure and Sheet Metal	5 Years	Unlimited
TBB Towing	6 Months	Unlimited
¹ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For	on weight rating, road surf	ace, and vocation, coverage may vary. For

unit-specific coverage, Dealers should enter a product serial number or vehicle identification number on the Coverage Info screen in OWL; for customers without access to OWL, see ordering Dealer for more information.

² Time or distance, whichever comes first.

ifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty. DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Spec-WAR604

Revised 6/22/20

Coverage Descriptions

and distance tables in conjunction with the coverage description paragraphs; if a coverage is applicable, it will be identification number (VIN) on the Check Info/Check Coverage screen in Online Warranty Link (OWL). Use time erage information (time/distance amounts and component descriptions), enter a product serial number or vehicle Based on a unit's specifications, New Product Limited Warranty (Warranty) coverage applies. For unit-specific covincluded as a row in the table.

2.1 Thomas Built Bus (TBB) A/C System (TBB Installed)

Coverage includes air conditioning (A/C): A/C electrical control panel, accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fit-ting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), and blower wheel. pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice

2.2 TBB Basic Body (Type C)

by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty,

inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve, blower wheel, radios (TBB installed), valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, conditioning ducting, evaporator, a/c fitting/pipe, a/c hose, motor, relay/magnetic switch, high side Schrader accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air driver alert sign, stop arms, walk gates, back up alarms, windshield wipers (arms only), wiring (TBB installed), wir-ing harness, wiring harness brackets, cables, connectors, a/c system (TBB installed), a/c electrical control panel, signs, sun visors, wig-wag, vandalock system, warning devices, lamps, flasher modules, child reminder system, panels, modesty panels, ceiling assist rail, shields, stanchions, wheel chair tie downs, wheel chair lift units, switches (all TBB installed), visors (TBB installed), safety equipment, backing alarms, child check mate, destination mirror, seals (windows and doors), seats, anchors, barriers, flip seat, passenger seat/frame (soft goods), lifts and plate light, marker light red light, stop/tail light, stop light, strobe light, warning light (excludes all bulbs and fading step well heater, lights, back-up light, clearance light, directional light, directional side light, dome light, license trol, hose covers/trim, defroster duct, driver's heater, defroster fan, mid-ship heater, heater motor, rear heater, heater/defroster ducting, defroster fan, harness, under bus to rear HVAC hose, HVAC control module, motor, doors, door handles, hinges, door locks, air pump, vandalocks, door locks, door latches, electrical motors (TBB installed), air distribution actuator, motor/door-blend air actuator, resistor block, core (heater), air conditioner/ components radio entertainment (only applicable if factory installed), harness, radio basic assembly, speaker, and fiberglass lenses), cowl mount mirror, cross view mirror, rear mount mirror/rear view mirror, heater mirror, inside rear view dows, push out window, stationary windows, split sash window, split sash storm window, heater cores, cable conblower wheels, floor covering, step treads, floor plywood, plywood fastening, window frame (excludes glass), winmounting/housing (main case), relay/magnetic switch, switch (ether start), radiator fan/shutter override switch, controls, hold back devices, emergency rear doors, emergency side doors, entrance doors, lift-single/double Includes: air operated components, door controls (all TBB installed), doors: air controls, electric controls, manual

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

2.3 TBB Manufactured Components

partment, luggage compartment, tool compartment, bumper system, bracket or mounting, bumper, bumper fas-cia, bumper frame, body-inside, metal bulkheads, grab rails, luggage rack assembly, luggage rack pads, luggage rack mounting, and metal interior trim. Coverage includes compartments, battery compartment, designation sign compartment, electrical access com-

2.4 **TBB** Miscellaneous (Accessories, Compartments, Etc.)

Coverage includes roof insulation, side wall insulation, bulkhead, rafter cavity, plastic trim, and storm sash

2.5 TBB Paint

Coverage includes all components painted by TBB. Excludes fading.

2.6 TBB Passenger Doors

Coverage includes door shells and hinges.

2.7 TBB Seat and Barrier Frames

Coverage includes passenger seat frame, barrier frames, and seat back panels

2.8 TBB Seats, Barriers, and Stanchions

stery (sewing, stapling, etc.), moms seat, flip mech., plywood, and seat track (including related hardware). Cover-Coverage includes barrier foam, barrier upholstery (sewing, stapling, etc.) armrest, seat foam/springs, seat upholage applies to vendor manufactured seats installed at factory at time of bus manufacture by TBB

2.9 TBB Storm Glass and Windows

Coverage includes all storm windows and frames. Excludes glass breakage.

2.10 TBB Structure and Sheet Metal

channel, cross tube, vestibule floor, front and rear wheel house, window header, structural adhesives, sheet derette (steel), floor sheets, floor panels, front assembly sheet metal, headlining, inside side lining, interior sheet sheet metal, roof rails, roof sheets and hoods, rub rails, seatrail, floor rail, entrances stepwell, under floor angle, metal trim, main body door post and capping, outriggers, pilaster, rafter, rafter reinforcement, rear assembly metal protection, and rust perforation. Excludes fiberglass components Coverage includes belt line angle, door header, exterior sheet metal, trim, left and right exterior side sheets, fen-

2.11 TBB Towing

not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$450 manship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and work-

ment of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursedriveline and the vehicle has and is within the tow coverage.

New Product Limited Warranty Statements

tion is also included in the applicable Owner's Warranty Information Booklet. America LLC (DTNA; Company) products sold by DTNA and domiciled in the USA (50 states and Washington, D.C.) and Canada. As necessary, information below may be divided by DTNA product type (vehicle/axle); this informa-The following section outlines standard Limited Warranty (Warranty) statements for all new Daimler Trucks North

distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Coverage Information* screen in the OWL. General time/distance amounts and coverage descriptions Based on a product's specifications, Warranty coverage varies. For product-specific coverage information (time/ are available by DTNA brand at DTNAConnect > Warranty Lit > Other Warranty Documents > Coverages

3.1 New Vehicle Limited Warranty Statement

Under this New Vehicle Limited Warranty, DTNA warrants that each new vehicle will be free from defects in mateitations and exclusions as specified in this document. rial and workmanship that occur under normal use within the applicable Warranty period, subject to certain lim-

original in-service date or factory invoice date if the vehicle has not been warranty registered. directly from DTNA; vehicles sold at auction or as a result of repossession retain the Warranty coverage from the This Limited Warranty applies only to new vehicles sold by an Authorized DTNA Service Location or ordered

DTNA reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

3.2 **Detroit New Axle Warranty Statement**

collectively referred to as Detroit), subject to certain limitations and exclusions as specified in this document. tured by Detroit Diesel and/or supplied by Detroit Diesel or Detroit Diesel of Canada Limited (all which are period resulting from defects in material or workmanship. This Limited Warranty applies to the first retail pur-The New Axle Limited Warranty covers product repairs to correct any malfunction occurring during the Warranty chaser and subsequent retail owners during the applicable Warranty period of new axle components manufac-

sale at retail, whichever occurs first, and ends at the specified time or distance limits. The Warranty period begins on the date the product is delivered to the first retail purchaser or put in use prior to

either inoperable, cannot be safely operated, or continued operation would cause further damage to the product. towing costs to the nearest authorized service facility are covered when due to warrantable failure, the axle is Detroit will pay reasonable travel expenses for the repairing mechanic to travel to and from the repair site The cost of service supplies which are not reusable due to needed repairs is covered by this Warranty. Reasonable

3.3 Limitations

Washington, D.C.) or Canada. This Warranty does not apply to products that are sold or domiciled outside of the United States (50 states and

gressive damage caused by these manufacturers' components to any other parts including, but not limited to, that are not manufactured by Company and that are warranted directly by their respective manufacturers. Pro-This Warranty does not apply to non-Detroit engines, Allison transmissions, tires, or other components or parts

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

pany makes no Warranty whether express, implied, statutory or otherwise including, but not limited to, parts installed by Company is excluded from Company Warranty coverage. With respect to the foregoing, Company of merchantability or fitness for a particular purpose. makes no Warranty whether express, implied, statutory, or otherwise including, but not limited to, any Warranty parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Com-

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, ULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTIC-FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST LIMIT, WHICHEVER OCCURS FIRST). TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE

performed by customers on their own vehicles without a current Customer Performed Warranty Agreement Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable Warranty period. During New Product coverage, Warranty reimbursement will not be paid on repairs with this Warranty and Purchaser must, at Purchaser's expense, promptly return the unit to an Authorized Service (CPWA) Purchaser must notify Company, within the applicable Warranty period, of any failure of the product to comply

and service have been performed are required by Company as a condition of this Warranty. Operator's and Maintenance Manuals. Receipted bills and other evidence showing that required maintenance The product must be maintained and serviced according to the prescribed schedules outlined in the Driver's/

ranty period for the vehicle or for any specific component or part. Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original War-After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this

inapplicable in such jurisdiction, and the remainder of the Warranty shall not be affected To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be

3.4 Purchaser's Exclusive Remedy

FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS STRICT LIABILITY, OR ANY OTHER LEGAL THEORY. THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN TORT,

3.5 Limitation of Liability

SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S VALUE OF THE PRODUCT AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES IPATED PROFITS, OR LOSS OF PRODUCT USE. INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTIC-

3.6 Emission Regulations (Zero Emission Vehicles)

uct Warranty, if the product warranty is longer for all emission-related components. rial and workmanship which cause the vehicle to fail to conform with those regulations for the Warranty period. ments of vehicle manufacturers to meet applicable powertrain model year 2021 and later California Air Resources Zero emission vehicles (ZEV) are designed, built, and equipped so as to conform, at the time of sale, with require-The Warranty period is 50,000 miles or three (3) years of ZEV operation, whichever occurs first, or the New Prod-Board (CARB) Zero Emissions Vehicle Standards for Powertrain Components. ZEVs are free from defects in mate-

should assure himself/herself that such parts are warranted by their manufacturer to be equivalent to Genuine The Warranty obligations are not dependent upon the use of any particular brand of replacement parts. The Company Parts in performance and durability. Parts are used for maintenance replacements or for the repair of components affecting ZEV controls, the Owner are not of equivalent quality may impair the effectiveness of ZEV control systems. If other than Genuine Company Owner may elect to use non-Genuine Company Parts for replacement purposes. Use of replacement parts which

mended fuel or non-performance of required maintenance services are not covered. Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recom-

3.7 Coverage Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty,

tribution Center (PDC). <u>Note</u>: Parts found defective prior to installation must be filed as a Parts Adjustment Request (PAR) to the Parts Dis-

Aerodynamic Wheel Covers

Aerodynamic wheel covers are excluded from coverage under Warranty

Air Springs

ride or the durability of the components or vehicle. Straightening of these springs is not covered under Warranty. buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the cause the springs to have the appearance of being crooked, misaligned, or improperly installed. This tolerance Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can

Alignment of Axles/Wheels/Steering Wheel

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to cen-ter the steering wheel to DTNA specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under Warranty.

Owner after delivery from factory. These special adjustments are not covered under Warranty. Any special alignment settings at the request of the Owner must be handled between the service location and

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

Axle Breather Vents

applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty. During the manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent,

Cab Interior Components

abuse are not covered under this Warranty. The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or

These components include, but are not limited to

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

Chrome Surfaces, Aluminum, and Stainless Steel Components

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

- General rust (e.g., rust on the unfinished backside of a bumper)
- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear photo is provided that adequately shows the defect.

Clutch Adjustment

if the clutch adjustment is found to be outside of Company specifications during, or prior to, product in-service, claim will be accepted on a one-time basis. Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, م

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as Warranty).

Competition

Warranty will become void on any product that is used in competition including, but not limited to:

- Racing
- Tractor pulls
- Other motor sports

Consumable Parts

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000 km) for all DTNA vehicles except TBB bodies and chassis. TBB consumable parts are covered up to 30 calendar days from the date of in-service. These items are:

- Antennas (exception: satellite radio antennas)
- Ashtrays
- Belts
- Brake linings
- Cigarette lighter assembly
- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Flash tubes
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas
- Light bulbs*
- Lower center bumper air dam
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-drier filter
- Trailer air hoses
- Trailer electrical cables
- Trailer electrical cables
- Windshield washer nozzles
- Wiper arms and blades (TBB makes wiper blades only)

Sealed light and LED assemblies are not considered consumable.

ranty; examples include but are not limited to: The cost of consumable parts which are not reusable due to needed warrantable repairs is covered by this War-

- Antifreeze
- Coolant
- Filters
- Fluids
- Grease/lubricants

Corrosion

will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, Aftermarket Parts Warranty, or Extended Service Coverage specific components and/or caused by certain conditions are excluded from all Company Warranty coverage and Coverage provides Warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to

Exclusions to corrosion Warranty include, but are not limited to, the following

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- spunod Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, com-
- face Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road sur-
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- . Corrosion or rust on tone rings, rotors, or drums
- tree sap, etc.), or other atmospheric conditions or other acts of nature Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals,
- nance Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient mainte-

Damage

The following are not covered under Warranty:

- specifications Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build
- . Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or operation at excessive speeds Driver's/Operator's and Maintenance Manuals), overloading, unauthorized modifications, accidents, or insufficient maintenance (including, but not limited to, failure to maintain vehicle as outlined in the
- spheric conditions, hailstones, or other acts of nature Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmo-
- Damage caused by road salts/chemicals or cleaning solvents, detergents, or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- •
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- . Damages (including peeling or flaking) caused by high-pressure washing or steam cleaning

- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by non-factory approved engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

Fifth Wheels

guards are considered routine maintenance and are not covered under this Warranty. Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock

Glass, Mirrors, Lens

Conditions excluded from Warranty include but are not limited to:

- Breakage
- Chips
- Scratches
- Cracks

Initial Operating Period

During a vehicle's Initial Operating Period (IOP), repair on components found loose and included on a scheduled maintenance table may be reimbursed by Company. The IOP for DTNA vehicles is as follows:

Up to 6 months from in-service date	TBB Bodies and TBB Chassis ³
Up to 25,000 miles/40 000 km ²	FCCC
Up to 15,000 miles/24 000 km ²	Freightliner, Western Star
IOP1	Make

¹ IOP does not apply to powertrain components.

² The IOP begins at zero (0) distance; the in-service distance does not affect the IOP distance limits

³ TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

Routine maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

tenance adjustments and are not covered under Warranty. Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered main-

connections may develop during the initial trip(s) of the vehicle; associated repairs/adjustments are covered Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical val for the component. under Basic Warranty unless the distance at which the condition occurs exceeds the published maintenance inter-

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

. ing the first scheduled maintenance <u>or</u> outside the IOP, whichever is greater, are not covered under War-ranty and are the responsibility of the customer. Components included on a scheduled maintenance table that have loosened at a time or distance exceed-

Outside IOP	Within IOP	Components Found Loose <u>and</u> Included on a Scheduled Maintenance Table
File Claim	File Claim	Prior to First Scheduled Maintenance
Customer Responsibility	File Claim	After First Scheduled Maintenance

. Components that do not appear on scheduled maintenance tables are not subject to IOP limitations and are covered per the applicable coverage and exclusions.

Consumable items are addressed separately from IOP; see <u>Consumable Parts</u> elsewhere in this section for details.

Exclusions from Warranty during the IOP are:

- or after the IOP. for adjusting the mirrors or tightening of the attaching hardware will not be paid under Warranty during Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transhardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims porter to prevent damage during transport. Subsequent adjustments and tightening of mirror mounting
- claim for correcting the routing will be accepted: paid under Warranty during or after the IOP. However, if during the IOP, evidence of a potential failure line, hose, or electrical wiring is mis-installed and is making contact with one of the following, a one-time (e.g., rubbing or chaffing that would lead to a short in a wire or a hole in a hose/line) is found where Claims for re-routing of electrical wiring, hoses, or lines which meet DTNA's routing standards will not be ىە
- 0 Hot surface
- 0 Moving part
- 0 Sharp edge

Such claims should be filed with 28 - Part Improperly Installed as the Cause code; photos that clearly show evidence of rubbing or chaffing due to mis-installation must be available upon request.

ever, if a line, hose, or electrical wiring actually fails (i.e., leaks or shorts) due to rubbing or chaffing on any surface, such failures are covered per the applicable coverage and exclusions. <u>Note</u>: Preventative re-routing for other conditions not listed above is not considered warrantable. How-

• are considered as ordering location responsibilities. Claims for these activities will not be paid under War-ranty during or after the IOP. Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, and polishing exterior chromed or painted surfaces

Loose Components

the vehicle. Mounting the shipped loose items below will not be covered under Warranty. the chassis. It is the service location's responsibility to mount these shipped loose items in the correct location on During the manufacturing process, certain components are placed in the cab of the vehicle or strapped down to

These items include, but may not be limited to:

WAR604

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

- Aerodynamic wheel covers
- 0 specifications Exception: Mounting covers on Freightliner Cascadia trucks may be reimbursed; varies by model/
- Antennas
- Chrome lug nut covers
- Decals & paperwork
- Driver's pouch
- Fire extinguishers
- Jacks
- License plate brackets
- Mattress
- Reflectors with flares
- Reflectors without flares
- Spare wheels/tires
- Tire inflation hoses
- Trailer cables (air/electrical)
- Winter fronts

Misapplication of Product

will be subject to chargeback. The Warranty on any product used inconsistent with its specified vocation/application will be downgraded to the Warranty that is consistent with product use. Any and all claims associated with the misapplication of the product

Miscellaneous Expenses

are not limited to: under Warranty, unless specifically stated elsewhere in the applicable Warranty coverage. Examples include, but Premium charges and work not directly related to the repair or replacement of a warranted part are not covered

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo
- General housekeeping supplies (e.g., shop rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance
- Repair or replacement of optional items not sold or installed by company
- Removal or replacement of service location, body builder, or customer installed equipment

- Environmental fees, cleanup, or other charges
- Cost of emergency services

Modifications to Original Equipment

tom Truck Services (CTS) Center. In addition, the extra time necessary to remove body builder-installed items and/ or equipment to work on a warrantable repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package. Company does not warrant product modifications or equipment installations unless performed at a Company Cus-

claims become the sole responsibility of the person performing the modifications or equipment installations. mance, Company shall not accept any product liability or claims under the terms of the product Warranty. These these modifications or equipment installations adversely affect other vehicle components or vehicle perfor-If service locations or Customers perform any product modifications or equipment installations, to the extent

Paint

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- . Removal and/or replacement of decals, striping, and/or lettering not applied by Company

warrantable to such areas. These areas include: Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not

- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss claims pertaining to gloss issues on vehicles painted with low-gloss colors (as identified in the Truck/Bus Sales Order) will not be covered under Warranty.

Routine Maintenance

Routine or preventative maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

tenance adjustments and are not covered under Warranty. Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered main-

ered under Warranty one (1) time during the applicable IOP unless excluded above. connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are cov-Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical

sidered routine maintenance and thus excluded from Warranty. Reminder: After the IOP, these developments are the result of use and their repair/adjustment activities are con-

Tampering/Misuse

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

certification requirements [Ref: 42 U.S.C. §7522(a)(3)]. It is the Owner's responsibility to maintain the vehicle so fluid system, or other vehicle components in any way that would bring the engine/vehicle out of compliance with It is a violation of U.S. federal law to alter the engine, exhaust plumbing, after treatment system, diesel exhaust that it conforms to EPA regulations.

Test Products

made for claims that relate to the test item(s). Any product(s) used in testing must be identified to the Warranty Department and accommodations must be

Any product used in endurance testing, such as the Altoona Test, are void of all Warranty, including but not limited to New Product Warranty, Aftermarket Parts Warranty, Extended Service Coverage, or any Company additional or used truck coverage.

Tires and Tire Balancing

ing is not covered under Warranty. The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balanc-

3.8 Transfer of Warranty

Warranty recognition, the ownership information should be updated in OWL. This Warranty is transferable to a subsequent Owner if it has not expired. To ensure the Owner receives proper

3.9 Change of Owner Address Information

Owner's information must be updated whenever there is a change to the Owner's name or address. To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the

3.10 Product Improvement

obligation to make such changes or improvements to any other vehicle Company reserves the right to make improvements or changes to the product at any time without incurring any

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

3.11 Owner's Responsibilities

ment that affects emission controls, and maintenance service. It is the Owner's responsibility to ensure the prod-Owner. It is important that the new Owner becomes familiar with the contents about Warranty, parts replacethat it conforms to EPA regulations. uct is maintained as outlined in the Driver's/Operator's and Maintenance Manuals and to maintain the vehicle so Company product, the service location should review the Owner's Warranty Information booklet(s) with the DTNA provides Owner's Warranty Information booklets for Company products. When the Owner first receives ىە

To initiate Warranty, the customer must complete and sign the Warranty Start Form (WAR275); service locations keep the signed form on file and provide to DTNA as an attachment in OWL. For TBB bodies and TBB chassis, customers should contact their TBB dealership to initiate Warranty.

As soon as a problem exists, the Owner is responsible for presenting the product to an Authorized Service Loca-tion. The Warranty repairs should be completed in a reasonable amount of time. The Owner should also be aware Company cannot deny Warranty solely for the lack of receipts. that DTNA may deny Warranty coverage if the product has failed due to abuse, neglect, improper maintenance, or unapproved modifications. DTNA recommends that Owners retain all receipts regarding product maintenance but

Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

Time and Distance Table

1.1 TBB HDX School Bus

Coverage ¹					
Chassis Components	Time ²	Distance ²			
Emission Regulations ³					
GHG17/21 ⁴ (Medium Heavy Duty to Heavy Heavy Duty Trucks)	5 Years	100,000 mi/161 000 km			
GHG17/21 ⁴ Tire (File Direct)	2 Years	24,000 mi/38 400 km			
Front/Steer Axle ⁵					
Detroit ⁶	5 Years	Unlimited			
TBB (Non-Detroit)	5 Years	Unlimited			
Rear/Drive Axle ⁷					
Detroit ⁶	5 Years	Unlimited			
TBB (Non-Detroit)	5 Years	Unlimited			
TBB Basic Chassis (Type D-HDX)	1 Year	Unlimited			
TBB Chassis Paint (Type D)	5 Years	Unlimited			
TBB Engine (Accessory Equip.)	2 Years	Unlimited			
TBB Frame (Incl. Driver's Area and Misc. Sheet Metal)	5 Years	Unlimited			
TBB Fuel Tank and Mounting	2 Years	Unlimited			
TBB Manufactured Components - Chassis	2 Years	Unlimited			
TBB Suspension Brackets	2 Years	Unlimited			
TBB Towing	6 Months	Unlimited			
Body Components					
TBB A/C System	2 Years	Unlimited			
TBB Basic Body (Type D-HDX)	1 Year	Unlimited			
TBB Manufactured Components - Body	2 Years	Unlimited			
TBB Miscellaneous (Accessories, Compartments, etc.)	2 Years	Unlimited			
TBB Paint	5 Years	Unlimited			
TBB Passenger Doors	2 Years	Unlimited			
TBB Seat and Barrier Frames	5 Years	Unlimited			
TBB Seats, Barriers, and Stanchions	2 Years	Unlimited			
TBB Storm Glass and Windows	2 Years	Unlimited			
TBB Structure and Sheet Metal	5 Years	Unlimited			
TBB Towing	6 Months	Unlimited			

¹ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For unit-specific coverage, Dealers should enter a product serial number or vehicle identification number on the *Coverage Info* screen in OWL; for customers without access to OWL, see ordering Dealer for more information.

² Time or distance, whichever comes first.

³ See *Emission Regulations* subsection that follows or separate engine owner's manual for regulatory information.

⁴ Applies to models 2013 and later domiciled in the United States and Canada.

⁵ Customers will have only one (1) type of front/steer axle coverage, either Detroit or TBB, depending on how the unit is spec'd.

⁶ Access Detroit parchments at DTNAConnect > Warranty Lit > Coverages > Detroit; for customers without access, see ordering Dealer for more information.

⁷ Customers will have only one (1) type of rear/drive axle coverage, either Detroit or TBB, depending on how the unit is spec'd.

Coverage Descriptions

Based on a unit's specifications, New Product Limited Warranty (Warranty) coverage applies. For unit-specific coverage information (time/distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Check Info/Check Coverage* screen in Online Warranty Link (OWL). Use time and distance tables in conjunction with the coverage description paragraphs; if a coverage is applicable, it will be included as a row in the table.

Chassis Components

2.1 Axles

Front/Steer Axle

Detroit

A steer axle is non-powered. Coverage includes all axle components supplied/manufactured by Detroit Diesel Corporation (Detroit). Warrantable components could include, but not be limited to, I-beam, steering knuckles, spindles, kingpins, kingpin bearings, and steering arms. Tie rod assembly and boots may have a different coverage period; see specific coverage row. *Excluded components could include, but not be limited to, wheel end equipment and steering linkage components.*

Thomas Built Bus (TBB)

A front/steer axle can be a front powered or non-powered axle. Coverage applies to non-Detroit axles; includes axle (front), non-driving front axle: steering arm, fitting (zerk), front axle, beam, king pin and bushings, steering knuckle, and king pin seal.

Rear/Drive Axle

Detroit

A rear drive axle can be a single or tandem axle configuration. Coverage includes all axle components supplied/ manufactured by Detroit. Warrantable components could include, but not be limited to, axle housing, carrier assembly, differential assembly, power divider, and axle shafts. Seals and gaskets may have a different coverage period; see specific coverage row. *Excluded components could include, but not be limited to, suspension and torque rod brackets, wheel end equipment, wiring, yokes, and attaching hardware.*

TBB

A rear axle could be a drive, non-drive, or tandem axle. Coverage applies to non-Detroit axles; includes axle (rear), basic axle components: carrier, companion flange/yoke, carrier gasket, axle housing, axle carrier components: internal bearings, limited slip differential gears/bushings/cross, axle gear set: ring gear bolt, helical gears, plane-tary gears, ring and pinion gears, shafts and seals: helical drive gear shaft.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.2 TBB Basic Chassis (Type D - HDX)

Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty, by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table.

Coverage includes air compressor and governor, air compressor mounting bracket, air valves, air cleaner (except element), body (gasket), mounting bracket and bolts, alternators, alternator mounting bracket, alternator assembly, air throttle (including all components), air dryers, battery (prorated after 12 months), battery cables, clean power cable (battery to Trans), clean power cable (battery to cab), clean power cable (battery to engine), driveline, slip joint boot/clamp, universal joint, drive shaft, yoke/spline, bearing, bearing mounting, electrical system, ESC controller, programming, Electronic Control Module (ECM), exhaust system, muffler: basic assembly, mounting bracket/support, guard/heat shield, pipes: mounting bracket/support, stack cap, guard/heat shield, tail pipe, exhaust pipe and flange, crossover pipe, flex pipe, mitigator, fan drive and clutch, engine fans: fan blade assembly, fan clutch control, on/off fan drive, viscous fan drive, fan pulley, relay/magnetic switch, fan shaft and mounting (for all gear driven fan hug assembly), solenoid, temperature switch, fan system – hydraulic, fuel system (including hoses and lines), air inlet system: air intake grille, air inlet box/water separator, stack mounting bracket, air inlet cap/scoop, air inlet temperature control system, air restriction indicator, air inlet pipe, fuel tanks: mounting bracket and bolts, filler neck/cap and gasket, finish (metal), crash guard, tank body, fuel outlet tube, fuel tank valve/control, air vent, horns, hubs (front and rear, bearings and seals), instruments, electronically operated: bezel/cover plate, circuit board/instrument gauge, fuel level gauge, oil pressure (electrical) gauge, other gauge, rear axle oil temperature gauge, electrical speedometer (electrical) gauge, tachometer (electrical) gauge, transmission oil temperature gauge, voltmeter gauge, harness, PDM distribution harness, hour meter, ammeter module, odometer programming air pressure sender, fuel level sender, other sender, transmission oil temperature sender, speedometer/tachometer dip switch (reprogramming only), tachometer/trip recorder (electronically driven), diesel exhaust fluid (DEF) sender, oil coolers, radiators, radiator mounting brackets, surge tank, surge tank mounting brackets, speedometer, speedometer/tachometer circuit, housing, electrical, speedometer (electrical) gauge, speedometer/tachometer dip switch (programming only), starter, cranking system: harness, PDM distribution harness, starter motor, relay/magnetic switch, starter motor solenoid, clutch switch, key/ignition switch, springs, springs/suspension: air bag assembly, rubber biscuit (shear or compression), center bolt, spring bracket assembly, shock absorber mounting bracket, control (air suspension only), rear suspension crossmember, equalizer/rocker arm and bushing, spring leaf assembly, pins and bushing shackles, lift spring, axle stop, sway bar assembly, torque arm and bushing assembly, trailing arm and bushing assembly, walking beam and bushing assembly, shocks, shock absorber, mounting bracket, steering, pitman arm, steering gear bracket/mounting, steering column assembly and mounting, steering shaft coupling/u-joint, cylinder assembly and valves, power steering pump mounting gasket, steering gear assembly, drag link, pulley, pump assembly, reservoir assembly, pump seals, steering gear seals, control valve, telescoping steering wheel mechanism, tilt steering wheel mechanism, steering wheel, transmission (manufacturer's warranty applies), wheel end equipment, brake components, wheels, hubs, drums, rotors, wheel seals, bearings, slack adjusters, attaching hardware, backing plate/anchor/ dust shield, brake chamber bracket, caliper chamber, chamber diaphragm, wheel brake actuating linkage/cam/ camshaft, brake spider, brake shoe return spring (excludes wear), engine mounts (brackets), front mount/bolt, rear mount/bolt.

Excludes Allison transmissions; for Allison transmission claims, please file direct with Allison.

2.3 TBB Chassis Paint (Type D)

Coverage includes frame and crossmembers.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.4 TBB Engine (Accessory Equipment)

Coverage includes brackets and isolators.

2.5 TBB Frame (Including Driver's Area and Miscellaneous Sheet Metal)

Coverage includes crossmembers, rear suspension, gussets, and huck-mounting bolts that attach gussets to crossmembers and gussets/crossmembers to frame rails (excluding any bolt-on item attached with either conventional or huck bolts), frame rails, frame side rail, reinforcements and gussets, frame rail liners, frame rail extension, s-rails, and any items factory welded to them.

2.6 TBB Fuel Tank and Mounting

Coverage includes fuel tanks, mounting bracket and bolts, crash guard, and tank body.

2.7 TBB Manufactured Components - Chassis

Coverage includes only TBB manufactured components.

2.8 TBB Suspension Brackets

Coverage includes suspension brackets.

2.9 TBB Towing

Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$250 per occurrence.

If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursement of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the driveline and the vehicle has and is within the tow coverage.

Body Components

2.10 TBB A/C System (TBB Installed)

Coverage includes air conditioning (A/C): A/C electrical control panel, accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fitting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), and blower wheel.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.11 TBB Basic Body (Type D - HDX)

Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty, by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table.

Includes air operated components, dash panels, dash plastic, dash switch plates, door controls, doors: air controls, electric controls, manual controls, hold back devices, emergency rear doors, emergency side doors, entrance doors, lift-single/double doors, door handles, hinges, door locks, air pump, vandalocks, door locks, latches, electrical motors, motor/door-air distribution actuator, motor/door-blend air actuator, resistor block, core (heater), air conditioner/heater/defroster ducting, defroster fan, harness, under bus to rear HVAC hose, HVAC control module, motor, mounting/housing (main case) relay/magnetic switch, switch (ether start), radiator fan/shutter override switch, blower wheels, floor covering, step treads, floor plywood, plywood fastening, window frame (excludes glass), windows, push out window, stationary windows, split sash window, split sash storm window, heater cores, cable control, heater core, hose covers/trim, defroster duct, driver's heater, defroster fan, mid-ship heater, heater motor, rear heater, stepwell heater, lights, back-up light, clearance light, directional light, directional side light, dome light, headlights, license plate light, marker light, stop/tail light, stop light, strobe light, warning light, (excludes all bulbs and fading lenses), cowl mount mirror, cross view mirror, rear mount mirror/rear view mirror, heated mirror, inside rear view mirror, seals (windows & doors), seats, anchors, barriers, driver's seat, flipseat, passenger seat/frame (soft goods), lifts & panels, modesty panels, ceiling assist rail, shields, stanchions, wheel chair tie downs, wheel chair lift units, switches, master solenoid disconnect, electrical panel, flashers, fuse panel, harness (wires, connectors, and terminals), body options external (engine) harness, dash harness, flasher plate harness, flasher to cowl harness, front cap harness, front end harness, left hand body harness, LH switch panel harness, overhead switch panel harness, power distribution (on flasher plate) harness, rear cab harness, RH switch panel harness, right hand body harness, horns, light monitors, strobe power packs, visors, safety equipment: backing alarms, child check mate, destination signs, sun visors, wig-wag, vandalock system, warning devices, clasher modules, child reminder system, driver alert sign, stop arms, walk gates, back up alarms, windshield wipers, drive motor, washer, washer bottle, wiper controls, wiring, wiring harness, wiring harness brackets, cables, connectors, A/C system (TBB installed), A/C electrical control panel, accumulator/dryer, air conditioner Oring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fitting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), blower wheel, radios, radioentertainment (only applicable if factory installed), harness, radio-basic assembly, speaker, and fiberglass components.

2.12 TBB Manufactured Components - Body

Coverage includes compartments, battery compartment, designation sign compartment, electrical access compartment, luggage compartment, tool compartment, bumper system, bracket or mounting, bumper, bumper fascia, bumper frame, body-inside, metal bulkheads, grab rails, luggage rack assembly, luggage rack pads, luggage rack mounting, and metal interior trim.

2.13 TBB Miscellaneous (Accessories, Compartments, Etc.)

Coverage includes roof insulation, side wall insulation, bulkhead, rafter cavity, plastic trim, and storm sash.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.14 TBB Paint

Coverage includes all components painted by TBB. *Excludes fading*.

2.15 TBB Passenger Doors

Coverage includes door shells and hinges.

2.16 TBB Seat and Barrier Frames

Coverage includes passenger seat frame, barrier frames, and seat back panels.

2.17 TBB Seats, Barriers, and Stanchions

Coverage includes barrier foam, barrier upholstery (sewing, stapling, etc.) armrest, seat foam/springs, seat upholstery (sewing, stapling, etc.), moms seat, flip mech., plywood, and seat track (including related hardware).

2.18 TBB Storm Glass and Windows

Coverage includes all storm windows and frames. Excludes glass breakage.

2.19 TBB Structure and Sheet Metal

Coverage includes belt line angle, door header, exterior sheet metal, trim, left and right exterior side sheets, fenderette (steel), floor sheets, floor panels, front assembly sheet metal, headlining, inside side lining, interior sheet metal trim, main body door post and capping, outriggers, pilaster, rafter, rafter reinforcement, rear assembly sheet metal, roof rails, roof sheets and hoods, rub rails, seatrail, floor rail, entrances stepwell, under floor angle, channel, cross tube, vestibule floor, front and rear wheel house, window header, structural adhesives, sheet metal protection, and rust perforation. *Excludes fiberglass components*.

2.20 TBB Towing

Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$450 per occurrence.

If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursement of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the driveline and the vehicle has and is within the tow coverage.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

New Product Limited Warranty Statements

The following section outlines standard Limited Warranty (Warranty) statements for all new Daimler Trucks North America LLC (DTNA; Company) products sold by DTNA and domiciled in the USA (50 states and Washington, D.C.) and Canada. As necessary, information below may be divided by DTNA product type (vehicle/axle); this information is also included in the applicable Owner's Warranty Information Booklet.

Based on a product's specifications, Warranty coverage varies. For product-specific coverage information (time/ distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Coverage Information* screen in the OWL. General time/distance amounts and coverage descriptions are available by DTNA brand at *DTNAConnect* > *Warranty Lit* > *Other Warranty Documents* > <u>Coverages</u>.

3.1 New Vehicle Limited Warranty Statement

Under this New Vehicle Limited Warranty, DTNA warrants that each new vehicle will be free from defects in material and workmanship that occur under normal use within the applicable Warranty period, subject to certain limitations and exclusions as specified in this document.

This Limited Warranty applies only to new vehicles sold by an Authorized DTNA Service Location or ordered directly from DTNA; vehicles sold at auction or as a result of repossession retain the Warranty coverage from the original in-service date or factory invoice date if the vehicle has not been warranty registered.

DTNA reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

3.2 New Powertrain Component Statements

Engine components are covered by two types of warranties, the standard Limited Warranty and the Emission Control Systems Warranty, a requirement of the U.S. (Federal) Clean Air Act and Canada Motor Vehicle Safety Act. Axle and transmission components are covered by the standard Limited Warranty.

New Powertrain Component Limited Warranty

The New Product Limited Warranty covers product repairs to correct any malfunction occurring during the Warranty period resulting from defects in material or workmanship. This Limited Warranty applies to the first retail purchaser and subsequent retail owners during the applicable Warranty period of new powertrain components manufactured by Detroit Diesel and/or supplied by Detroit Diesel or Detroit Diesel of Canada Limited (all which are collectively referred to as Detroit), subject to certain limitations and exclusions as specified in this document.

The Warranty period begins on the date the product is delivered to the first retail purchaser or put in use prior to sale at retail, whichever occurs first, and ends at the specified time or distance limits.

The cost of service supplies which are not reusable due to needed repairs is covered by this Warranty. Reasonable towing costs to the nearest authorized service facility are covered when due to warrantable failure, the power-train component is either inoperable, cannot be safely operated, or continued operation would cause further damage to the product. Detroit will pay reasonable travel expenses for the repairing mechanic to travel to and from the repair site.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Engine Major Component Warranty Coverage

Engine major component warranty covers casting defects. Casted engine major components are: cylinder block/ head, crankshaft, camshaft, main bearing bolts, flywheel housing, connecting rod assemblies, oil cooler housing, oil coolant module casting, water pump housing, and air inlet housing. Coverage is for the failed engine major component only; labor and additional parts are excluded. Progressive damage is limited to only the engine major component(s) affected by the failure.

Engines used in the on-highway application may carry longer coverage on engine major components; review the applicable Warranty parchment for coverage:

 MBE4000, Series 60, DD13, DD15, DD16 diesel fueled engines in on-highway applications (on-highway refers to a truck or coach designed and used to carry passengers and/or cargo, primarily on streets or paved highways)

Emission Control Systems Warranty

For detailed information about product compliance with U.S. and Canadian law regarding design, build, and equipment, see the <u>Emission Regulations (Diesel Vehicles</u>) section. Please note that emission-related components no longer covered under the Limited Warranty described above may still be covered under the Emission Control Systems Warranty.

Certified Engines and Engine Parts

The Warranty period shall begin on the date the vehicle is delivered to the first retail purchaser or, if the vehicle is first placed in service as a demonstrator prior to sale at retail, on the date the vehicle is first placed in such service. Emission related defects in the genuine Company components listed in the <u>Emission Regulations (Diesel Vehicles)</u> section, including reasonable related diagnostic costs, are covered by this Warranty.

Covered components and component terminology varies from engine to engine. Some scheduled maintenance is required (refer to the Owner's Emission Control Maintenance Service Chart which is included in the Warranty Information booklet). Please check the specific Warranty Information Booklet to determine which components are covered by the emissions control systems warranty.

Service Locations should refer to the applicable Engine Warranty Information booklet to determine if a particular component is covered by the Emission Control Systems Warranty, as the components covered differ on each engine type as well as from year to year.

3.3 Limitations

This Warranty does not apply to products that are sold or domiciled outside of the United States (50 states and Washington, D.C.) or Canada.

This Warranty does not apply to non-Detroit engines, Allison transmissions, tires, or other components or parts that are not manufactured by Company and that are warranted directly by their respective manufacturers. Progressive damage caused by these manufacturers' components to any other parts including, but not limited to, parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory or otherwise including, but not limited to, parts installed by Company is excluded from Company Warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory, or otherwise including, but not limited to, any Warranty of merchantability or fitness for a particular purpose.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTIC-ULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR LIMIT, WHICHEVER OCCURS FIRST).

Purchaser must notify Company, within the applicable Warranty period, of any failure of the product to comply with this Warranty and Purchaser must, at Purchaser's expense, promptly return the unit to an Authorized Service Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable Warranty period. During New Product coverage, Warranty reimbursement will not be paid on repairs performed by customers on their own vehicles without a current Customer Performed Warranty Agreement (CPWA).

The product must be maintained and serviced according to the prescribed schedules outlined in the Driver's/ Operator's and Maintenance Manuals. Receipted bills and other evidence showing that required maintenance and service have been performed are required by Company as a condition of this Warranty.

After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original Warranty period for the vehicle or for any specific component or part.

To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be inapplicable in such jurisdiction, and the remainder of the Warranty shall not be affected.

3.4 Purchaser's Exclusive Remedy

THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, TORT, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY.

3.5 Limitation of Liability

COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET VALUE OF THE PRODUCT AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTIC-IPATED PROFITS, OR LOSS OF PRODUCT USE.

3.6 Emission Regulations (Diesel Vehicles)

Vehicles and engines are designed, built, and equipped so as to conform, at the time of sale, with requirements of manufacturers whose vehicles and engines are designed to meet applicable Greenhouse Gas (GHG) and Fuel Efficiency Standards of the U.S. (Federal) Environmental Protection Agency (EPA), Emission Regulations under the Canada Motor Vehicle Safety Act in Canada, and the California Air Resources Board (CARB). Engines and vehicles are free from defects in material and workmanship which cause the engine or vehicle to fail to conform with

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

those regulations for the Warranty period. The Warranty period is 100,000 miles or five (5) years of operation, whichever occurs first, or the New Product Warranty, if the product warranty is longer for all emission-related components except tires and 24,000 miles or two (2) years, whichever occurs first, for the tires.

The Warranty obligations are not dependent upon the use of any particular brand of replacement parts. The Owner may elect to use non-Genuine Company Parts for replacement purposes. Use of replacement parts which are not of equivalent quality may impair the effectiveness of emission control systems. If other than Genuine Company Parts are used for maintenance replacements or for the repair of components affecting emission controls, the Owner should assure himself/herself that such parts are warranted by their manufacturer to be equivalent to Genuine Company Parts in performance and durability.

Coverage exclusions are listed in *Coverage Exclusions* elsewhere in this section.

Warranted Components

Unless otherwise noted, the Warranty period is 5 years/100,000 miles, whichever occurs first, or the New Product Warranty, if the product Warranty is longer for all emission-related components except tires.

Diesel engines certified to California model year 2022 and later standards come with emission warranty periods of 5 years/ 150,000 miles if medium heavy duty and 5 years/350,000 miles if heavy heavy duty.

Coverage is determined based on engine and vehicle emissions model year. To determine an engine's emissions model year, refer to the EPA/CARB certification label on the engine. To determine the vehicle's emissions model year, refer to the EPA/CARB certification label on the driver's door or door jamb.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
A-Pillar Turning Vane					X
Aerodynamic Quarter Fenders					x
Aerodynamic Roof Fairings					x
Aerodynamic Roof Fairings (Adjustable Height)					x
Aerodynamic Side Fairings					x
Aerodynamic Wheel Covers					x
Aftertreatment System (ATS) Aftertreatment Control Module (ACM)	х			х	
Air Cleaner (Excludes Filter Element)			х		
Air Conditioning Component Leakage					x
Air Intake Pipes			Х		
Air Intake Resonator			х		
Ambient Air Temperature (AAT) Sensor					X
ATS Aftertreatment Device (ATD) Wiring Harness	X			х	

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
ATS Diesel Exhaust Fluid (DEF) Coolant Supply Valve & DEF Coolant Lines		x			
ATS DEF Pump	х			Х	
ATS DEF Fuel Rail Pressure Sensor	х			Х	
ATS DEF Fuel Pressure Sensor (Low)	Х			Х	
ATS DEF Low Dosing Unit	х			Х	
ATS DEF System Air Pressure Regulator & Associated Air Lines		x			
ATS DEF System Chassis Interface Harness		Х			
ATS DEF Tank		X			
ATS DEF Tank DEF Level Gauge		X			
ATS DEF Tank DEF Temperature Sensor		X			
ATS DEF Tank Heater Tubing		X			
ATS DEF Temperature Sensor NOX Sensors	х			Х	
ATS Diesel Oxidation Catalyst (DOC) Inlet Temperature Sensor	x			х	
ATS DOC Outlet Temperature Sensor	х			Х	
ATS Diesel Particulate Filter (DPF) Inlet Pressure Sensor	х			Х	
ATS DPF Outlet Pressure Sensor	х			Х	
ATS DPF Outlet Temperature Sensor	х			Х	
ATS Doser Block Assembly	х			Х	
ATS Electrically-Heated DEF Lines		x			
ATS Fuel Doser Valve	x			Х	
ATS Oxidation Catalyst	x			х	
ATS Particulate Filter	x			х	
ATS Selective Catalytic Reduction (SCR) Catalyst	x			х	
Automatic Engine Shutdown Timer - Sleep Cab Tractors: Includes Auxiliary Technologies (Battery or Diesel Auxiliary Power Unit, Fuel-Operated Heater, Engine Start-Stop)					x
Automatic Engine Shutdown Timer - Vocational					X
Automatic Tire Inflation System					x
Cam Sensor			Х		

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Camshaft Position Sensor	X			х	
Catalytic Converter			Х		
Charge Air Cooler		x			
Charge Air Cooler Outlet Sensor	X			Х	
Chassis Fairing Skirts					x
Coolant Outlet Temperature Sensor	Х			Х	
Coolant Sensor			х		
Crank Sensor			х		
Crankshaft Position Sensor	Х			Х	
Data Link Connector		Х	х		X
Delta P Sensor	Х			Х	
Drive Wheel Fairings					X
Engine Coolant Temp Sensor			х		
Engine Control Module (ECM)			Х		
Engine Start/Stop System					x
Evap Canister & Evap Canister Vent Solenoid			Х		
Exhaust Gas Piping from the Turbocharger out to the Last ATD		x			
Exhaust Gas Recirculation (EGR) Cooler	Х			Х	
EGR Valve & Actuator	Х			Х	
Exhaust Manifold & Exhaust Manifold Gaskets			Х		
Exhaust Pipes (Between Exhaust Manifold & Catalyst)			Х		
Fuel Injectors	Х		Х	Х	
Fuel Lines			Х		
Fuel Rail			х		
Fuel Tank			х		
Fuel Tank Fairings (Chassis Fairings)					x
Fuel Tank Pressure Sensor			х		
Fuel Temperature Sensor	x			х	
Gap Reducing Fairings					X

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Gas Cap			Х		
High Pressure Fuel Pump	x			Х	
Ignition Coils			Х		
Intake Manifold Pressure Sensor	Х			Х	
Intake Manifold Temperature Sensor	x			Х	
Intake Throttle Valve & Adaptor	x			Х	
Knock Sensors			Х		
Malfunction Indicator Lamp (MIL)		Х	Х		Х
Manifold Absolute Pressure (MAP) Sensor			Х		
Mass Air Flow Sensor			Х		
Motor Control Module (MCM)	Х			Х	
Neutral at Stop - Allison Automatic Transmissions ⁵					X
Neutral Coast - Detroit eCoast, Cummins/Eaton Smart- Coast ⁵					x
Oxygen (O ₂) Sensors			Х		
Oil Fill Cap			Х		
Oil Temperature Sensor	Х			Х	
Positive Crankcase Ventilation (PCV) Hose (Engine to Air Intake Pipe)			х		
Predictive Cruise Control - Detroit Intelligent Powertrain Management (IPM), Cummins Predictive Cruise Control					x
Purge Control Valve			Х		
Rear Axles ⁵					X
Roof Spoilers					X
Side Extenders					X
Spark Plugs ⁶			х		
Spark Plug Wires			Х		
Temperature-Barometric Air Pressure Sensor					X
Throttle Body			Х		
Throttle Pedal			Х		

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Tire Pressure Monitoring System					Х
Tires ⁷					Х
Transmissions ⁵					X
Transmission Control Module			Х		
Transmission Speed Sensor			Х		
Turbo Speed Sensor	Х			Х	
Turbocharger	Х			Х	
Vapor Lines			Х		
Vehicle Speed Limiter					х
Vehicle Speed Sensor (Transmission Main Shaft)		х			х
Wait to Start Indicator/Lamp					Х

¹ Per California Emission Control Systems Warranty Statement, DTNA must warrant the emission control system components for the vehicle in accordance with either Diesel Emission 2010 or Gasoline Evaporative Emission 2011, whichever is applicable.

² Coverage period is 5 years/50,000 miles (80 500 km), whichever occurs first.

³ The following are excluded under Emissions coverage but are covered under standard New Vehicle Warranty coverage:

- ATS ACM Mounting Bracket and Protective Cover
- DEF Tank Mounting Brackets/Hardware
- DEF Pump Mounting and Protective Cover

⁴ Diesel Emission 2010 components and emission-related defects in the marked components listed are included in this coverage. Coverage duration:

- Spark-ignition engines and light heavy-duty vehicles 5 years/50,000 miles (80 500 km), whichever occurs first
- Compression ignition engines and medium and heavy heavy-duty vehicles 5 years/100,000 miles (161 000 km), whichever occurs first

⁵ To the extent warranted under component manufacturers' GHG21 emission-related warranty responsibilities, as detailed in warranty documentation.

⁶ Spark plugs are warranted under Basic Chassis coverage or until the first required maintenance, whichever comes first.

⁷ Coverage period is 2 years/24,000 miles, whichever occurs first. File claims directly to tire manufacturer.

3.7 Coverage Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty.

<u>Note</u>: Parts found defective prior to installation must be filed as a Parts Adjustment Request (PAR) to the Parts Distribution Center (PDC).

Aerodynamic Wheel Covers

Aerodynamic wheel covers are excluded from coverage under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Air Springs

Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can cause the springs to have the appearance of being crooked, misaligned, or improperly installed. This tolerance buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the ride or the durability of the components or vehicle. Straightening of these springs is not covered under Warranty.

Alignment of Axles/Wheels/Steering Wheel

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to center the steering wheel to DTNA specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under Warranty.

Any special alignment settings at the request of the Owner must be handled between the service location and Owner after delivery from factory. These special adjustments are not covered under Warranty.

Axle Breather Vents

During the manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent, applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty.

Cab Interior Components

The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or abuse are not covered under this Warranty.

These components include, but are not limited to:

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

Chrome Surfaces, Aluminum, and Stainless Steel Components

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

• General rust (e.g., rust on the unfinished backside of a bumper)

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear photo is provided that adequately shows the defect.

Clutch Adjustment

Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, if the clutch adjustment is found to be outside of Company specifications during, or prior to, product in-service, a claim will be accepted on a one-time basis.

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as Warranty).

Competition

Warranty will become void on any product that is used in competition including, but not limited to:

- Racing
- Tractor pulls
- Other motor sports

Consumable Parts

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000 km) for all DTNA vehicles except TBB bodies and chassis. TBB consumable parts are covered up to 30 calendar days from the date of in-service. These items are:

- Antennas (exception: satellite radio antennas)
- Ashtrays
- Belts
- Brake linings
- Cigarette lighter assembly
- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Flash tubes
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Light bulbs*
- Lower center bumper air dam
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-drier filter
- Trailer air hoses
- Trailer electrical cables
- Windshield washer nozzles
- Wiper arms and blades (TBB makes wiper blades only)

* Sealed light and LED assemblies are not considered consumable.

The cost of consumable parts which are not reusable due to needed warrantable repairs is covered by this Warranty; examples include but are not limited to:

- Antifreeze
- Coolant
- Filters
- Fluids
- Grease/lubricants
- Oil

Corrosion

Coverage provides Warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to specific components and/or caused by certain conditions are excluded from all Company Warranty coverage and will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, Aftermarket Parts Warranty, or Extended Service Coverage.

Exclusions to corrosion Warranty include, but are not limited to, the following:

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, compounds
- Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road surface
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- Corrosion or rust on tone rings, rotors, or drums
- Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals, tree sap, etc.), or other atmospheric conditions or other acts of nature
- Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient maintenance

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Damage

The following are not covered under Warranty:

- Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build specifications
- Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or insufficient maintenance (including, but not limited to, failure to maintain vehicle as outlined in the Driver's/Operator's and Maintenance Manuals), overloading, unauthorized modifications, accidents, or operation at excessive speeds
- Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmospheric conditions, hailstones, or other acts of nature
- Damage caused by road salts/chemicals or cleaning solvents, detergents, or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- Damages (including peeling or flaking) caused by high-pressure washing or steam cleaning
- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by non-factory approved engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

Engine

Any DTNA engine in a vehicle on which odometer mileage has been changed so the mileage cannot be readily determined is excluded from Warranty.

Non-DTNA engines, including all of its components as supplied by the non-Company engine manufacturer, are excluded from Warranty but are warranted separately by the manufacturer of the engine. For non-DTNA engine warranty or service, contact the engine manufacturer's authorized sales and service facility.

Engine Brakes, Air Compressors, and Other Proprietary Engine Components

The engine manufacturer installs most air compressors and engine brakes. Any failure of a proprietary engine component or Jake Brake[®] component must be filed directly to the engine manufacturer.

Failures on Company engines and non-proprietary engine components can be filed through DTNA.

Exhaust System Clamps

During the early life of the vehicle or when the engine is cold, many exhaust clamps exhibit a soot trace. This condition is self-correcting and does not require adjustment, tightening, or replacement of the clamp. Claims for adjusting or tightening will not be paid under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Fifth Wheels

Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock guards are considered routine maintenance and are not covered under this Warranty.

Glass, Mirrors, Lens

Conditions excluded from Warranty include but are not limited to:

- Breakage
- Chips
- Scratches
- Cracks

Initial Operating Period

During a vehicle's Initial Operating Period (IOP), repair on components found loose and included on a scheduled maintenance table may be reimbursed by Company. The IOP for DTNA vehicles is as follows:

Make	IOP ¹
Freightliner, Western Star	Up to 15,000 miles/24 000 km ²
FCCC	Up to 25,000 miles/40 000 km ²
TBB Bodies and TBB Chassis ³	Up to 6 months from in-service date

¹ IOP does not apply to powertrain components.

² The IOP begins at zero (0) distance; the in-service distance does not affect the IOP distance limits.

³ TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

Routine maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle; associated repairs/adjustments are covered under Basic Warranty unless the distance at which the condition occurs exceeds the published maintenance interval for the component.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

 Components included on a scheduled maintenance table that have loosened at a time or distance exceeding the first scheduled maintenance or outside the IOP, whichever is greater, are not covered under Warranty and are the responsibility of the customer.

Components Found Loose <u>and</u> Included on a Scheduled Maintenance Table	Prior to First Scheduled Maintenance	After First Scheduled Maintenance
Within IOP	File Claim	File Claim
Outside IOP	File Claim	Customer Responsibility

• Components that do not appear on scheduled maintenance tables are not subject to IOP limitations and are covered per the applicable coverage and exclusions.

Consumable items are addressed separately from IOP; see <u>Consumable Parts</u> elsewhere in this section for details.

Exclusions from Warranty during the IOP are:

- Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transporter to prevent damage during transport. Subsequent adjustments and tightening of mirror mounting hardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims for adjusting the mirrors or tightening of the attaching hardware will not be paid under Warranty during or after the IOP.
- Claims for re-routing of electrical wiring, hoses, or lines which meet DTNA's routing standards will not be
 paid under Warranty during or after the IOP. However, if during the IOP, evidence of a potential failure
 (e.g., rubbing or chaffing that would lead to a short in a wire or a hole in a hose/line) is found where a
 line, hose, or electrical wiring is mis-installed and is making contact with one of the following, a one-time
 claim for correcting the routing will be accepted:
 - Hot surface
 - Moving part
 - Sharp edge

Such claims should be filed with 28 - Part Improperly Installed as the Cause code; photos that clearly show evidence of rubbing or chaffing due to mis-installation must be available upon request.

<u>Note</u>: Preventative re-routing for other conditions not listed above is not considered warrantable. However, if a line, hose, or electrical wiring actually fails (i.e., leaks or shorts) due to rubbing or chaffing on any surface, such failures are covered per the applicable coverage and exclusions.

• Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, and polishing exterior chromed or painted surfaces are considered as ordering location responsibilities. Claims for these activities will not be paid under Warranty during or after the IOP.

Loose Components

During the manufacturing process, certain components are placed in the cab of the vehicle or strapped down to the chassis. It is the service location's responsibility to mount these shipped loose items in the correct location on the vehicle. Mounting the shipped loose items below will not be covered under Warranty.

These items include, but may not be limited to:

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Aerodynamic wheel covers
 - Exception: Mounting covers on Freightliner Cascadia trucks may be reimbursed; varies by model/ specifications
- Antennas
- Chrome lug nut covers
- Decals & paperwork
- Driver's pouch
- Fire extinguishers
- Jacks
- License plate brackets
- Mattress
- Reflectors with flares
- Reflectors without flares
- Spare wheels/tires
- Tire inflation hoses
- Trailer cables (air/electrical)
- Winter fronts

Misapplication of Product

The Warranty on any product used inconsistent with its specified vocation/application will be downgraded to the Warranty that is consistent with product use. Any and all claims associated with the misapplication of the product will be subject to chargeback.

Miscellaneous Expenses

Premium charges and work not directly related to the repair or replacement of a warranted part are not reimbursed, unless specifically stated elsewhere in the applicable Warranty coverage. Examples include, but are not limited to:

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo
- General housekeeping and bulk shop supplies (e.g., shop rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance
- For non-powertrain component repairs, the removal, repair, or replacement of:

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Components/parts and optional items that are not sold or installed by Company
- Equipment installed by a body builder, customer, or service location
- Dynamometer testing on non-Company engines after repairs have been performed
- Shop hardware supplies that are not itemized on the claim as "parts used" (e.g., common bolts, washers, nuts, tie straps, cotter pins, etc.)
- Time spent waiting at a counter to obtain a part, etc.
- Environmental fees, cleanup, or other charges
- Cost of emergency services

Modifications to Original Equipment

Company does not warrant product modifications or equipment installations unless performed at a Company Custom Truck Services (CTS) Center. In addition, the extra time necessary to remove body builder-installed items and/ or equipment to work on a warrantable repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package.

If service locations or Customers perform any product modifications or equipment installations, to the extent these modifications or equipment installations adversely affect other vehicle components or vehicle performance, Company shall not accept any product liability or claims under the terms of the product Warranty. These claims become the sole responsibility of the person performing the modifications or equipment installations.

Paint

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- Removal and/or replacement of decals, striping, and/or lettering not applied by Company

Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not warrantable to such areas. These areas include:

- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss claims pertaining to gloss issues on vehicles painted with low-gloss colors (as identified in the Truck/Bus Sales Order) will not be covered under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Routine Maintenance

Routine or preventative maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are covered under Warranty one (1) time during the applicable IOP unless excluded above.

<u>Reminder</u>: After the IOP, these developments are the result of use and their repair/adjustment activities are considered routine maintenance and thus excluded from Warranty.

Tampering/Misuse

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

It is a violation of U.S. federal law to alter the engine, exhaust plumbing, after treatment system, diesel exhaust fluid system, or other vehicle components in any way that would bring the engine/vehicle out of compliance with certification requirements [Ref: 42 U.S.C. §7522(a)(3)]. It is the Owner's responsibility to maintain the vehicle so that it conforms to EPA regulations.

Test Products

Any product(s) used in testing must be identified to the Warranty Department and accommodations must be made for claims that relate to the test item(s).

Any product used in endurance testing, such as the Altoona Test, are void of all Warranty, including but not limited to New Product Warranty, Aftermarket Parts Warranty, Extended Service Coverage, or any Company additional or used truck coverage.

Tires and Tire Balancing

The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balancing is not covered under Warranty.

Transmissions (Non-Company)

Allison transmissions and components are not covered under this Warranty, but are warranted separately by Allison. Information regarding Allison's warranty is provided for informational purposes only and is subject to change. For warranty or service information, contact Allison's authorized sales and service facility.

Eaton Hybrid transmissions are not covered under this Warranty.

3.8 Transfer of Warranty

This Warranty is transferable to a subsequent Owner if it has not expired. To ensure the Owner receives proper Warranty recognition, the ownership information should be updated in OWL.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

3.9 Change of Owner Address Information

To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the Owner's information must be updated whenever there is a change to the Owner's name or address.

3.10 Product Improvement

Company reserves the right to make improvements or changes to the product at any time without incurring any obligation to make such changes or improvements to any other vehicle.

3.11 Owner's Responsibilities

DTNA provides Owner's Warranty Information booklets for Company products. When the Owner first receives a Company product, the service location should review the Owner's Warranty Information booklet(s) with the Owner. It is important that the new Owner becomes familiar with the contents about Warranty, parts replacement that affects emission controls, and maintenance service. It is the Owner's responsibility to ensure the product is maintained as outlined in the Driver's/Operator's and Maintenance Manuals and to maintain the vehicle so that it conforms to EPA regulations.

To initiate Warranty, the customer must complete and sign the Warranty Start Form (WAR275); service locations keep the signed form on file and register the vehicle with DTNA for Warranty. For TBB bodies and TBB chassis, customers should contact their TBB dealership to initiate Warranty.

As soon as a problem exists, the Owner is responsible for presenting the product to an Authorized Service Location. The Warranty repairs should be completed in a reasonable amount of time. The Owner should also be aware that DTNA may deny Warranty coverage if the product has failed due to abuse, neglect, improper maintenance, or unapproved modifications. DTNA recommends that Owners retain all receipts regarding product maintenance but Company cannot deny Warranty solely for the lack of receipts.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Time and Distance Table

1.1 TBB EF-EFX School Bus

Coverage ²	l	
Chassis Components	Time ²	Distance ²
Emission Regulations ³		
GHG17/21 ⁴ (Medium Heavy Duty to Heavy Heavy Duty Trucks)	5 Years	100,000 mi/161 000 km
GHG17/21 ⁴ Tire (File Direct)	2 Years	24,000 mi/38 400 km
Front/Steer Axle ⁵		
Detroit ⁶	5 Years	Unlimited
TBB (Non-Detroit)	5 Years	Unlimited
Rear/Drive Axle ⁷		
Detroit ⁶	5 Years	Unlimited
TBB (Non-Detroit)	5 Years	Unlimited
TBB Basic Chassis (Type D-EF/EFX)	1 Year	Unlimited
TBB Chassis Paint (Type D)	5 Years	Unlimited
TBB Engine (Accessory Equip.)	2 Years	Unlimited
TBB Frame (Incl. Driver's Area and Misc. Sheet Metal)	5 Years	Unlimited
TBB Fuel Tank and Mounting	2 Years	Unlimited
TBB Manufactured Components	2 Years	Unlimited
TBB Suspension Brackets	2 Years	Unlimited
TBB Towing	6 Months	Unlimited
Body Components		
TBB A/C System	2 Years	Unlimited
TBB Basic Body (Type D-EF/EFX)	1 Year	Unlimited
TBB Manufactured Components	2 Years	Unlimited
TBB Miscellaneous (Accessories, Compartments, etc.)	2 Years	Unlimited
TBB Paint	5 Years	Unlimited
TBB Passenger Doors	2 Years	Unlimited
TBB Seat and Barrier Frames	5 Years	Unlimited
TBB Seats, Barriers, and Stanchions	2 Years	Unlimited
TBB Storm Glass and Windows	2 Years	Unlimited
TBB Structure and Sheet Metal	5 Years	Unlimited
TBB Towing	6 Months	Unlimited
	•	

¹ Because Warranty coverage is determined by a unit's specifications, gross combination weight rating, road surface, and vocation, coverage may vary. For unit-specific coverage, Dealers should enter a product serial number or vehicle identification number on the *Coverage Info* screen in OWL; for customers without access to OWL, see ordering Dealer for more information.

² Time or distance, whichever comes first.

³ See *Emission Regulations* subsection that follows or separate engine owner's manual for regulatory information.

⁴ Applies to models 2013 and later domiciled in the United States and Canada.

⁵ Customers will have only one (1) type of front/steer axle coverage, either Detroit or TBB, depending on how the unit is spec'd.

⁶ Access Detroit parchments at DTNAConnect > Warranty Lit > Coverages > Detroit; for customers without access, see ordering Dealer for more information.

⁷ Customers will have only one (1) type of rear/drive axle coverage, either Detroit or TBB, depending on how the unit is spec'd.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Coverage Descriptions

Based on a unit's specifications, New Product Limited Warranty (Warranty) coverage applies. For unit-specific coverage information (time/distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Check Info/Check Coverage* screen in Online Warranty Link (OWL). Use time and distance tables in conjunction with the coverage description paragraphs; if a coverage is applicable, it will be included as a row in the table.

Chassis Components

2.1 Axles

Front/Steer Axle

Detroit

A steer axle is non-powered. Coverage includes all axle components supplied/manufactured by Detroit Diesel Corporation (Detroit). Warrantable components could include, but not be limited to, I-beam, steering knuckles, spindles, kingpins, kingpin bearings, and steering arms. Tie rod assembly and boots may have a different coverage period; see specific coverage row. *Excluded components could include, but not be limited to, wheel end equipment and steering linkage components.*

Thomas Built Bus (TBB)

A front/steer axle can be a front powered or non-powered axle. Coverage applies to non-Detroit axles; includes axle (front), non-driving front axle: steering arm, fitting (zerk), front axle, beam, king pin and bushings, steering knuckle, and king pin seal.

Rear/Drive Axle

Detroit

A rear drive axle can be a single or tandem axle configuration. Coverage includes all axle components supplied/ manufactured by Detroit. Warrantable components could include, but not be limited to, axle housing, carrier assembly, differential assembly, power divider, and axle shafts. Seals and gaskets may have a different coverage period; see specific coverage row. *Excluded components could include, but not be limited to, suspension and torque rod brackets, wheel end equipment, wiring, yokes, and attaching hardware.*

TBB

A rear axle could be a drive, non-drive, or tandem axle. Coverage applies to non-Detroit axles; includes axle (rear), basic axle components: carrier, companion flange/yoke, carrier gasket, axle housing, axle carrier components: internal bearings, limited slip differential gears/bushings/cross, axle gear set: ring gear bolt, helical gears, plane-tary gears, ring and pinion gears, shafts and seals: helical drive gear shaft.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.2 TBB Basic Chassis (Type D - EF/EFX)

Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty, by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table.

Coverage includes air compressor and governor, air compressor mounting bracket, air valves, air cleaner (except element), body (gasket), mounting bracket and bolts, alternators, alternator mounting bracket, alternator assembly, air throttle (including all components), air dryers, battery (prorated after 12 months), battery cables, clean power cable (battery to Trans), clean power cable (battery to cab), clean power cable (battery to engine), driveline, slip joint boot/clamp, universal joint, drive shaft, yoke/spline, bearing, bearing mounting, electrical system, ESC controller, programming, Electronic Control Module (ECM), exhaust system, muffler: basic assembly, mounting bracket/support, guard/heat shield, pipes: mounting bracket/support, stack cap, guard/heat shield, tail pipe, exhaust pipe and flange, crossover pipe, flex pipe, mitigator, fan drive and clutch, engine fans: fan blade assembly, fan clutch control, on/off fan drive, viscous fan drive, fan pulley, relay/magnetic switch, fan shaft and mounting (for all gear driven fan hug assembly), solenoid, temperature switch, fan system – hydraulic, fuel system (including hoses and lines), air inlet system: air intake grille, air inlet box/water separator, stack mounting bracket, air inlet cap/scoop, air inlet temperature control system, air restriction indicator, air inlet pipe, fuel tanks: mounting bracket and bolts, filler neck/cap and gasket, finish (metal), crash guard, tank body, fuel outlet tube, fuel tank valve/control, air vent, horns, hubs (front and rear, bearings and seals), instruments, electronically operated: bezel/cover plate, circuit board/instrument gauge, fuel level gauge, oil pressure (electrical) gauge, other gauge, rear axle oil temperature gauge, electrical speedometer (electrical) gauge, tachometer (electrical) gauge, transmission oil temperature gauge, voltmeter gauge, harness, PDM distribution harness, hour meter, ammeter module, odometer programming air pressure sender, fuel level sender, other sender, transmission oil temperature sender, speedometer/tachometer dip switch (reprogramming only), tachometer/trip recorder (electronically driven), diesel exhaust fluid (DEF) sender, oil coolers, radiators, radiator mounting brackets, surge tank, surge tank mounting brackets, speedometer, speedometer/tachometer circuit, housing, electrical, speedometer (electrical) gauge, speedometer/tachometer dip switch (programming only), starter, cranking system: harness, PDM distribution harness, starter motor, relay/magnetic switch, starter motor solenoid, clutch switch, key/ignition switch, springs, springs/suspension: air bag assembly, rubber biscuit (shear or compression), center bolt, spring bracket assembly, shock absorber mounting bracket, control (air suspension only), rear suspension crossmember, equalizer/rocker arm and bushing, spring leaf assembly, pins and bushing shackles, lift spring, axle stop, sway bar assembly, torque arm and bushing assembly, trailing arm and bushing assembly, walking beam and bushing assembly, shocks, shock absorber, mounting bracket, steering, pitman arm, steering gear bracket/mounting, steering column assembly and mounting, steering shaft coupling/u-joint, cylinder assembly and valves, power steering pump mounting gasket, steering gear assembly, drag link, pulley, pump assembly, reservoir assembly, pump seals, steering gear seals, control valve, telescoping steering wheel mechanism, tilt steering wheel mechanism, steering wheel, transmission (manufacturer's warranty applies), wheel end equipment, brake components, wheels, hubs, drums, rotors, wheel seals, bearings, slack adjusters, attaching hardware, backing plate/anchor/ dust shield, brake chamber bracket, caliper chamber, chamber diaphragm, wheel brake actuating linkage/cam/ camshaft, brake spider, brake shoe return spring (excludes wear), engine mounts (brackets), front mount/bolt, rear mount/bolt.

Excludes Allison transmissions; for Allison transmission claims, please file direct with Allison.

2.3 TBB Chassis Paint (Type D)

Coverage includes frame and crossmembers.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.4 TBB Engine (Accessory Equipment)

Coverage includes brackets and isolators.

2.5 TBB Frame (Including Driver's Area and Miscellaneous Sheet Metal)

Coverage includes crossmembers, rear suspension, gussets, and huck-mounting bolts that attach gussets to crossmembers and gussets/crossmembers to frame rails (excluding any bolt-on item attached with either conventional or huck bolts), frame rails, frame side rail, reinforcements and gussets, frame rail liners, frame rail extension, s-rails, and any items factory welded to them.

2.6 TBB Fuel Tank and Mounting

Coverage includes fuel tanks, mounting bracket and bolts, crash guard, and tank body.

2.7 TBB Manufactured Components - Chassis

Coverage includes only TBB manufactured components.

2.8 TBB Suspension Brackets

Coverage includes suspension brackets.

2.9 TBB Towing

Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$250 per occurrence.

If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursement of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the driveline and the vehicle has and is within the tow coverage.

Body Components

2.10 TBB A/C System (TBB Installed)

Coverage includes air conditioning (A/C): A/C electrical control panel, accumulator/dryer, air conditioner O-ring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fitting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), and blower wheel.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.11 TBB Basic Body (Type D - EF/EFX)

Coverage includes all factory-installed components of the body that are not excluded elsewhere in the Warranty, by special agreement, or described as having a different time or distance, or listed separately on each new vehicle coverage table.

Includes air operated components, dash panels, dash plastic, dash switch plates, door controls, doors: air controls, electric controls, manual controls, hold back devices, emergency rear doors, emergency side doors, entrance doors, lift-single/double doors, door handles, hinges, door locks, air pump, vandalocks, door locks, latches, electrical motors, motor/door-air distribution actuator, motor/door-blend air actuator, resistor block, core (heater), air conditioner/heater/defroster ducting, defroster fan, harness, under bus to rear HVAC hose, HVAC control module, motor, mounting/housing (main case) relay/magnetic switch, switch (ether start), radiator fan/shutter override switch, blower wheels, floor covering, step treads, floor plywood, plywood fastening, window frame (excludes glass), windows, push out window, stationary windows, split sash window, split sash storm window, heater cores, cable control, heater core, hose covers/trim, defroster duct, driver's heater, defroster fan, mid-ship heater, heater motor, rear heater, stepwell heater, lights, back-up light, clearance light, directional light, directional side light, dome light, headlights, license plate light, marker light, stop/tail light, stop light, strobe light, warning light, (excludes all bulbs and fading lenses), cowl mount mirror, cross view mirror, rear mount mirror/rear view mirror, heated mirror, inside rear view mirror, seals (windows & doors), seats, anchors, barriers, driver's seat, flipseat, passenger seat/frame (soft goods), lifts & panels, modesty panels, ceiling assist rail, shields, stanchions, wheel chair tie downs, wheel chair lift units, switches, master solenoid disconnect, electrical panel, flashers, fuse panel, harness (wires, connectors, and terminals), body options external (engine) harness, dash harness, flasher plate harness, flasher to cowl harness, front cap harness, front end harness, left hand body harness, LH switch panel harness, overhead switch panel harness, power distribution (on flasher plate) harness, rear cab harness, RH switch panel harness, right hand body harness, horns, light monitors, strobe power packs, visors, safety equipment: backing alarms, child check mate, destination signs, sun visors, wig-wag, vandalock system, warning devices, clasher modules, child reminder system, driver alert sign, stop arms, walk gates, back up alarms, windshield wipers, drive motor, washer, washer bottle, wiper controls, wiring, wiring harness, wiring harness brackets, cables, connectors, A/C system (TBB installed), A/C electrical control panel, accumulator/dryer, air conditioner Oring, compressor clutch, rotary compressor, condenser, fan condenser, air conditioning ducting, evaporator, A/C fitting/pipe, A/C hose, motor, relay/magnetic switch, high side Schrader valve, low side Schrader valves, refrigerant pressure sensor, switch, high pressure switch, low pressure switch, inlet thermistor, outlet thermistor, orifice tube, expansion valve, water valve (internal to the dash mounted A/C-heat unit), blower wheel, radios, radioentertainment (only applicable if factory installed), harness, radio-basic assembly, speaker, and fiberglass components.

2.12 TBB Manufactured Components - Body

Coverage includes compartments, battery compartment, designation sign compartment, electrical access compartment, luggage compartment, tool compartment, bumper system, bracket or mounting, bumper, bumper fascia, bumper frame, body-inside, metal bulkheads, grab rails, luggage rack assembly, luggage rack pads, luggage rack mounting, and metal interior trim.

2.13 TBB Miscellaneous (Accessories, Compartments, Etc.)

Coverage includes roof insulation, side wall insulation, bulkhead, rafter cavity, plastic trim, and storm sash.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

2.14 TBB Paint

Coverage includes all components painted by TBB. *Excludes fading*.

2.15 TBB Passenger Doors

Coverage includes door shells and hinges.

2.16 TBB Seat and Barrier Frames

Coverage includes passenger seat frame, barrier frames, and seat back panels.

2.17 TBB Seats, Barriers, and Stanchions

Coverage includes barrier foam, barrier upholstery (sewing, stapling, etc.) armrest, seat foam/springs, seat upholstery (sewing, stapling, etc.), moms seat, flip mech., plywood, and seat track (including related hardware).

2.18 TBB Storm Glass and Windows

Coverage includes all storm windows and frames. Excludes glass breakage.

2.19 TBB Structure and Sheet Metal

Coverage includes belt line angle, door header, exterior sheet metal, trim, left and right exterior side sheets, fenderette (steel), floor sheets, floor panels, front assembly sheet metal, headlining, inside side lining, interior sheet metal trim, main body door post and capping, outriggers, pilaster, rafter, rafter reinforcement, rear assembly sheet metal, roof rails, roof sheets and hoods, rub rails, seatrail, floor rail, entrances stepwell, under floor angle, channel, cross tube, vestibule floor, front and rear wheel house, window header, structural adhesives, sheet metal protection, and rust perforation. *Excludes fiberglass components*.

2.20 TBB Towing

Coverage includes maximum payment as displayed, per occurrence, for towing for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle. Currency exchange rate does not apply. Maximum payment as displayed no matter the currency. Reimbursement maximum: \$450 per occurrence.

If towing is associated with a DTNA warrantable failure, towing charges must be on the same claim. Reimbursement of 0.5 hour (SRT 939-6020A) to reinstall drivelines if tow company has removed, but not reinstalled, the driveline and the vehicle has and is within the tow coverage.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

New Product Limited Warranty Statements

The following section outlines standard Limited Warranty (Warranty) statements for all new Daimler Trucks North America LLC (DTNA; Company) products sold by DTNA and domiciled in the USA (50 states and Washington, D.C.) and Canada. As necessary, information below may be divided by DTNA product type (vehicle/axle); this information is also included in the applicable Owner's Warranty Information Booklet.

Based on a product's specifications, Warranty coverage varies. For product-specific coverage information (time/ distance amounts and component descriptions), enter a product serial number or vehicle identification number (VIN) on the *Coverage Information* screen in the OWL. General time/distance amounts and coverage descriptions are available by DTNA brand at *DTNAConnect* > *Warranty Lit* > *Other Warranty Documents* > <u>Coverages</u>.

3.1 New Vehicle Limited Warranty Statement

Under this New Vehicle Limited Warranty, DTNA warrants that each new vehicle will be free from defects in material and workmanship that occur under normal use within the applicable Warranty period, subject to certain limitations and exclusions as specified in this document.

This Limited Warranty applies only to new vehicles sold by an Authorized DTNA Service Location or ordered directly from DTNA; vehicles sold at auction or as a result of repossession retain the Warranty coverage from the original in-service date or factory invoice date if the vehicle has not been warranty registered.

DTNA reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

3.2 New Powertrain Component Statements

Engine components are covered by two types of warranties, the standard Limited Warranty and the Emission Control Systems Warranty, a requirement of the U.S. (Federal) Clean Air Act and Canada Motor Vehicle Safety Act. Axle and transmission components are covered by the standard Limited Warranty.

New Powertrain Component Limited Warranty

The New Product Limited Warranty covers product repairs to correct any malfunction occurring during the Warranty period resulting from defects in material or workmanship. This Limited Warranty applies to the first retail purchaser and subsequent retail owners during the applicable Warranty period of new powertrain components manufactured by Detroit Diesel and/or supplied by Detroit Diesel or Detroit Diesel of Canada Limited (all which are collectively referred to as Detroit), subject to certain limitations and exclusions as specified in this document.

The Warranty period begins on the date the product is delivered to the first retail purchaser or put in use prior to sale at retail, whichever occurs first, and ends at the specified time or distance limits.

The cost of service supplies which are not reusable due to needed repairs is covered by this Warranty. Reasonable towing costs to the nearest authorized service facility are covered when due to warrantable failure, the power-train component is either inoperable, cannot be safely operated, or continued operation would cause further damage to the product. Detroit will pay reasonable travel expenses for the repairing mechanic to travel to and from the repair site.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Engine Major Component Warranty Coverage

Engine major component warranty covers casting defects. Casted engine major components are: cylinder block/ head, crankshaft, camshaft, main bearing bolts, flywheel housing, connecting rod assemblies, oil cooler housing, oil coolant module casting, water pump housing, and air inlet housing. Coverage is for the failed engine major component only; labor and additional parts are excluded. Progressive damage is limited to only the engine major component(s) affected by the failure.

Engines used in the on-highway application may carry longer coverage on engine major components; review the applicable Warranty parchment for coverage:

 MBE4000, Series 60, DD13, DD15, DD16 diesel fueled engines in on-highway applications (on-highway refers to a truck or coach designed and used to carry passengers and/or cargo, primarily on streets or paved highways)

Emission Control Systems Warranty

For detailed information about product compliance with U.S. and Canadian law regarding design, build, and equipment, see the <u>Emission Regulations (Diesel Vehicles</u>) section. Please note that emission-related components no longer covered under the Limited Warranty described above may still be covered under the Emission Control Systems Warranty.

Certified Engines and Engine Parts

The Warranty period shall begin on the date the vehicle is delivered to the first retail purchaser or, if the vehicle is first placed in service as a demonstrator prior to sale at retail, on the date the vehicle is first placed in such service. Emission related defects in the genuine Company components listed in the <u>Emission Regulations (Diesel Vehicles)</u> section, including reasonable related diagnostic costs, are covered by this Warranty.

Covered components and component terminology varies from engine to engine. Some scheduled maintenance is required (refer to the Owner's Emission Control Maintenance Service Chart which is included in the Warranty Information booklet). Please check the specific Warranty Information Booklet to determine which components are covered by the emissions control systems warranty.

Service Locations should refer to the applicable Engine Warranty Information booklet to determine if a particular component is covered by the Emission Control Systems Warranty, as the components covered differ on each engine type as well as from year to year.

3.3 Limitations

This Warranty does not apply to products that are sold or domiciled outside of the United States (50 states and Washington, D.C.) or Canada.

This Warranty does not apply to non-Detroit engines, Allison transmissions, tires, or other components or parts that are not manufactured by Company and that are warranted directly by their respective manufacturers. Progressive damage caused by these manufacturers' components to any other parts including, but not limited to, parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory or otherwise including, but not limited to, parts installed by Company is excluded from Company Warranty coverage. With respect to the foregoing, Company makes no Warranty whether express, implied, statutory, or otherwise including, but not limited to, any Warranty of merchantability or fitness for a particular purpose.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTIC-ULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR LIMIT, WHICHEVER OCCURS FIRST).

Purchaser must notify Company, within the applicable Warranty period, of any failure of the product to comply with this Warranty and Purchaser must, at Purchaser's expense, promptly return the unit to an Authorized Service Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable Warranty period. During New Product coverage, Warranty reimbursement will not be paid on repairs performed by customers on their own vehicles without a current Customer Performed Warranty Agreement (CPWA).

The product must be maintained and serviced according to the prescribed schedules outlined in the Driver's/ Operator's and Maintenance Manuals. Receipted bills and other evidence showing that required maintenance and service have been performed are required by Company as a condition of this Warranty.

After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original Warranty period for the vehicle or for any specific component or part.

To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be inapplicable in such jurisdiction, and the remainder of the Warranty shall not be affected.

3.4 Purchaser's Exclusive Remedy

THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, TORT, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY.

3.5 Limitation of Liability

COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET VALUE OF THE PRODUCT AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTIC-IPATED PROFITS, OR LOSS OF PRODUCT USE.

3.6 Emission Regulations (Diesel Vehicles)

Vehicles and engines are designed, built, and equipped so as to conform, at the time of sale, with requirements of manufacturers whose vehicles and engines are designed to meet applicable Greenhouse Gas (GHG) and Fuel Efficiency Standards of the U.S. (Federal) Environmental Protection Agency (EPA), Emission Regulations under the Canada Motor Vehicle Safety Act in Canada, and the California Air Resources Board (CARB). Engines and vehicles are free from defects in material and workmanship which cause the engine or vehicle to fail to conform with

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

those regulations for the Warranty period. The Warranty period is 100,000 miles or five (5) years of operation, whichever occurs first, or the New Product Warranty, if the product warranty is longer for all emission-related components except tires and 24,000 miles or two (2) years, whichever occurs first, for the tires.

The Warranty obligations are not dependent upon the use of any particular brand of replacement parts. The Owner may elect to use non-Genuine Company Parts for replacement purposes. Use of replacement parts which are not of equivalent quality may impair the effectiveness of emission control systems. If other than Genuine Company Parts are used for maintenance replacements or for the repair of components affecting emission controls, the Owner should assure himself/herself that such parts are warranted by their manufacturer to be equivalent to Genuine Company Parts in performance and durability.

Coverage exclusions are listed in *Coverage Exclusions* elsewhere in this section.

Warranted Components

Unless otherwise noted, the Warranty period is 5 years/100,000 miles, whichever occurs first, or the New Product Warranty, if the product Warranty is longer for all emission-related components except tires.

Diesel engines certified to California model year 2022 and later standards come with emission warranty periods of 5 years/ 150,000 miles if medium heavy duty and 5 years/350,000 miles if heavy heavy duty.

Coverage is determined based on engine and vehicle emissions model year. To determine an engine's emissions model year, refer to the EPA/CARB certification label on the engine. To determine the vehicle's emissions model year, refer to the EPA/CARB certification label on the driver's door or door jamb.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
A-Pillar Turning Vane					Х
Aerodynamic Quarter Fenders					х
Aerodynamic Roof Fairings					х
Aerodynamic Roof Fairings (Adjustable Height)					х
Aerodynamic Side Fairings					Х
Aerodynamic Wheel Covers					Х
Aftertreatment System (ATS) Aftertreatment Control Module (ACM)	х			x	
Air Cleaner (Excludes Filter Element)			х		
Air Conditioning Component Leakage					Х
Air Intake Pipes			Х		
Air Intake Resonator			х		
Ambient Air Temperature (AAT) Sensor					Х
ATS Aftertreatment Device (ATD) Wiring Harness	X			х	

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
ATS Diesel Exhaust Fluid (DEF) Coolant Supply Valve & DEF Coolant Lines		x			
ATS DEF Pump	х			Х	
ATS DEF Fuel Rail Pressure Sensor	х			Х	
ATS DEF Fuel Pressure Sensor (Low)	Х			Х	
ATS DEF Low Dosing Unit	х			Х	
ATS DEF System Air Pressure Regulator & Associated Air Lines		x			
ATS DEF System Chassis Interface Harness		Х			
ATS DEF Tank		X			
ATS DEF Tank DEF Level Gauge		X			
ATS DEF Tank DEF Temperature Sensor		X			
ATS DEF Tank Heater Tubing		X			
ATS DEF Temperature Sensor NOX Sensors	х			Х	
ATS Diesel Oxidation Catalyst (DOC) Inlet Temperature Sensor	x			х	
ATS DOC Outlet Temperature Sensor	х			Х	
ATS Diesel Particulate Filter (DPF) Inlet Pressure Sensor	х			Х	
ATS DPF Outlet Pressure Sensor	х			Х	
ATS DPF Outlet Temperature Sensor	х			Х	
ATS Doser Block Assembly	х			Х	
ATS Electrically-Heated DEF Lines		x			
ATS Fuel Doser Valve	x			Х	
ATS Oxidation Catalyst	x			х	
ATS Particulate Filter	x			х	
ATS Selective Catalytic Reduction (SCR) Catalyst	x			х	
Automatic Engine Shutdown Timer - Sleep Cab Tractors: Includes Auxiliary Technologies (Battery or Diesel Auxiliary Power Unit, Fuel-Operated Heater, Engine Start-Stop)					x
Automatic Engine Shutdown Timer - Vocational					X
Automatic Tire Inflation System					x
Cam Sensor			Х		

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Camshaft Position Sensor	Х			х	
Catalytic Converter			Х		
Charge Air Cooler		X			
Charge Air Cooler Outlet Sensor	х			Х	
Chassis Fairing Skirts					X
Coolant Outlet Temperature Sensor	Х			Х	
Coolant Sensor			Х		
Crank Sensor			Х		
Crankshaft Position Sensor	Х			Х	
Data Link Connector		Х	Х		X
Delta P Sensor	Х			Х	
Drive Wheel Fairings					X
Engine Coolant Temp Sensor			Х		
Engine Control Module (ECM)			Х		
Engine Start/Stop System					X
Evap Canister & Evap Canister Vent Solenoid			Х		
Exhaust Gas Piping from the Turbocharger out to the Last ATD		x			
Exhaust Gas Recirculation (EGR) Cooler	Х			Х	
EGR Valve & Actuator	Х			Х	
Exhaust Manifold & Exhaust Manifold Gaskets			Х		
Exhaust Pipes (Between Exhaust Manifold & Catalyst)			Х		
Fuel Injectors	х		Х	Х	
Fuel Lines			х		
Fuel Rail			х		
Fuel Tank			х		
Fuel Tank Fairings (Chassis Fairings)					X
Fuel Tank Pressure Sensor			х		
Fuel Temperature Sensor	х			х	
Gap Reducing Fairings					x

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Gas Cap			Х		
High Pressure Fuel Pump	x			Х	
Ignition Coils			Х		
Intake Manifold Pressure Sensor	Х			Х	
Intake Manifold Temperature Sensor	x			Х	
Intake Throttle Valve & Adaptor	x			Х	
Knock Sensors			Х		
Malfunction Indicator Lamp (MIL)		Х	Х		Х
Manifold Absolute Pressure (MAP) Sensor			Х		
Mass Air Flow Sensor			Х		
Motor Control Module (MCM)	Х			Х	
Neutral at Stop - Allison Automatic Transmissions ⁵					X
Neutral Coast - Detroit eCoast, Cummins/Eaton Smart- Coast ⁵					x
Oxygen (O ₂) Sensors			Х		
Oil Fill Cap			Х		
Oil Temperature Sensor	Х			Х	
Positive Crankcase Ventilation (PCV) Hose (Engine to Air Intake Pipe)			х		
Predictive Cruise Control - Detroit Intelligent Powertrain Management (IPM), Cummins Predictive Cruise Control					x
Purge Control Valve			Х		
Rear Axles ⁵					X
Roof Spoilers					X
Side Extenders					X
Spark Plugs ⁶			х		
Spark Plug Wires			Х		
Temperature-Barometric Air Pressure Sensor					X
Throttle Body			Х		
Throttle Pedal			Х		

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Components ¹	Diesel Em	ission 2010	Gasoline Evaporative Emission 2011 ²	GHG21	
	Detroit Engine	DTNA Installed ³	DTNA Installed	Detroit Engine	DTNA Installed ⁴
Tire Pressure Monitoring System					Х
Tires ⁷					Х
Transmissions ⁵					X
Transmission Control Module			Х		
Transmission Speed Sensor			Х		
Turbo Speed Sensor	Х			Х	
Turbocharger	Х			Х	
Vapor Lines			Х		
Vehicle Speed Limiter					х
Vehicle Speed Sensor (Transmission Main Shaft)		х			х
Wait to Start Indicator/Lamp					Х

¹ Per California Emission Control Systems Warranty Statement, DTNA must warrant the emission control system components for the vehicle in accordance with either Diesel Emission 2010 or Gasoline Evaporative Emission 2011, whichever is applicable.

² Coverage period is 5 years/50,000 miles (80 500 km), whichever occurs first.

³ The following are excluded under Emissions coverage but are covered under standard New Vehicle Warranty coverage:

- ATS ACM Mounting Bracket and Protective Cover
- DEF Tank Mounting Brackets/Hardware
- DEF Pump Mounting and Protective Cover

⁴ Diesel Emission 2010 components and emission-related defects in the marked components listed are included in this coverage. Coverage duration:

- Spark-ignition engines and light heavy-duty vehicles 5 years/50,000 miles (80 500 km), whichever occurs first
- Compression ignition engines and medium and heavy heavy-duty vehicles 5 years/100,000 miles (161 000 km), whichever occurs first

⁵ To the extent warranted under component manufacturers' GHG21 emission-related warranty responsibilities, as detailed in warranty documentation.

⁶ Spark plugs are warranted under Basic Chassis coverage or until the first required maintenance, whichever comes first.

⁷ Coverage period is 2 years/24,000 miles, whichever occurs first. File claims directly to tire manufacturer.

3.7 Coverage Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty.

<u>Note</u>: Parts found defective prior to installation must be filed as a Parts Adjustment Request (PAR) to the Parts Distribution Center (PDC).

Aerodynamic Wheel Covers

Aerodynamic wheel covers are excluded from coverage under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Air Springs

Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can cause the springs to have the appearance of being crooked, misaligned, or improperly installed. This tolerance buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the ride or the durability of the components or vehicle. Straightening of these springs is not covered under Warranty.

Alignment of Axles/Wheels/Steering Wheel

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to center the steering wheel to DTNA specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under Warranty.

Any special alignment settings at the request of the Owner must be handled between the service location and Owner after delivery from factory. These special adjustments are not covered under Warranty.

Axle Breather Vents

During the manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent, applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty.

Cab Interior Components

The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or abuse are not covered under this Warranty.

These components include, but are not limited to:

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

Chrome Surfaces, Aluminum, and Stainless Steel Components

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

• General rust (e.g., rust on the unfinished backside of a bumper)

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear photo is provided that adequately shows the defect.

Clutch Adjustment

Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, if the clutch adjustment is found to be outside of Company specifications during, or prior to, product in-service, a claim will be accepted on a one-time basis.

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as Warranty).

Competition

Warranty will become void on any product that is used in competition including, but not limited to:

- Racing
- Tractor pulls
- Other motor sports

Consumable Parts

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000 km) for all DTNA vehicles except TBB bodies and chassis. TBB consumable parts are covered up to 30 calendar days from the date of in-service. These items are:

- Antennas (exception: satellite radio antennas)
- Ashtrays
- Belts
- Brake linings
- Cigarette lighter assembly
- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Flash tubes
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Light bulbs*
- Lower center bumper air dam
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-drier filter
- Trailer air hoses
- Trailer electrical cables
- Windshield washer nozzles
- Wiper arms and blades (TBB makes wiper blades only)

* Sealed light and LED assemblies are not considered consumable.

The cost of consumable parts which are not reusable due to needed warrantable repairs is covered by this Warranty; examples include but are not limited to:

- Antifreeze
- Coolant
- Filters
- Fluids
- Grease/lubricants
- Oil

Corrosion

Coverage provides Warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to specific components and/or caused by certain conditions are excluded from all Company Warranty coverage and will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, Aftermarket Parts Warranty, or Extended Service Coverage.

Exclusions to corrosion Warranty include, but are not limited to, the following:

- Corrosion caused by general rust (e.g., rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, compounds
- Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road surface
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use
- Corrosion or rust on tone rings, rotors, or drums
- Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals, tree sap, etc.), or other atmospheric conditions or other acts of nature
- Corrosion due to improper use, misuse, or abuse, negligence, including improper or insufficient maintenance

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Damage

The following are not covered under Warranty:

- Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build specifications
- Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or insufficient maintenance (including, but not limited to, failure to maintain vehicle as outlined in the Driver's/Operator's and Maintenance Manuals), overloading, unauthorized modifications, accidents, or operation at excessive speeds
- Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmospheric conditions, hailstones, or other acts of nature
- Damage caused by road salts/chemicals or cleaning solvents, detergents, or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- Damages (including peeling or flaking) caused by high-pressure washing or steam cleaning
- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by non-factory approved engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

Engine

Any DTNA engine in a vehicle on which odometer mileage has been changed so the mileage cannot be readily determined is excluded from Warranty.

Non-DTNA engines, including all of its components as supplied by the non-Company engine manufacturer, are excluded from Warranty but are warranted separately by the manufacturer of the engine. For non-DTNA engine warranty or service, contact the engine manufacturer's authorized sales and service facility.

Engine Brakes, Air Compressors, and Other Proprietary Engine Components

The engine manufacturer installs most air compressors and engine brakes. Any failure of a proprietary engine component or Jake Brake[®] component must be filed directly to the engine manufacturer.

Failures on Company engines and non-proprietary engine components can be filed through DTNA.

Exhaust System Clamps

During the early life of the vehicle or when the engine is cold, many exhaust clamps exhibit a soot trace. This condition is self-correcting and does not require adjustment, tightening, or replacement of the clamp. Claims for adjusting or tightening will not be paid under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Fifth Wheels

Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock guards are considered routine maintenance and are not covered under this Warranty.

Glass, Mirrors, Lens

Conditions excluded from Warranty include but are not limited to:

- Breakage
- Chips
- Scratches
- Cracks

Initial Operating Period

During a vehicle's Initial Operating Period (IOP), repair on components found loose and included on a scheduled maintenance table may be reimbursed by Company. The IOP for DTNA vehicles is as follows:

Make	IOP ¹	
Freightliner, Western Star	Up to 15,000 miles/24 000 km ²	
FCCC	Up to 25,000 miles/40 000 km ²	
TBB Bodies and TBB Chassis ³	Up to 6 months from in-service date	

¹ IOP does not apply to powertrain components.

² The IOP begins at zero (0) distance; the in-service distance does not affect the IOP distance limits.

³ TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

Routine maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle; associated repairs/adjustments are covered under Basic Warranty unless the distance at which the condition occurs exceeds the published maintenance interval for the component.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

 Components included on a scheduled maintenance table that have loosened at a time or distance exceeding the first scheduled maintenance or outside the IOP, whichever is greater, are not covered under Warranty and are the responsibility of the customer.

Components Found Loose <u>and</u> Included on a Scheduled Maintenance Table	Prior to First Scheduled Maintenance	After First Scheduled Maintenance
Within IOP	File Claim	File Claim
Outside IOP	File Claim	Customer Responsibility

• Components that do not appear on scheduled maintenance tables are not subject to IOP limitations and are covered per the applicable coverage and exclusions.

Consumable items are addressed separately from IOP; see <u>Consumable Parts</u> elsewhere in this section for details.

Exclusions from Warranty during the IOP are:

- Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transporter to prevent damage during transport. Subsequent adjustments and tightening of mirror mounting hardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims for adjusting the mirrors or tightening of the attaching hardware will not be paid under Warranty during or after the IOP.
- Claims for re-routing of electrical wiring, hoses, or lines which meet DTNA's routing standards will not be
 paid under Warranty during or after the IOP. However, if during the IOP, evidence of a potential failure
 (e.g., rubbing or chaffing that would lead to a short in a wire or a hole in a hose/line) is found where a
 line, hose, or electrical wiring is mis-installed and is making contact with one of the following, a one-time
 claim for correcting the routing will be accepted:
 - Hot surface
 - Moving part
 - Sharp edge

Such claims should be filed with 28 - Part Improperly Installed as the Cause code; photos that clearly show evidence of rubbing or chaffing due to mis-installation must be available upon request.

<u>Note</u>: Preventative re-routing for other conditions not listed above is not considered warrantable. However, if a line, hose, or electrical wiring actually fails (i.e., leaks or shorts) due to rubbing or chaffing on any surface, such failures are covered per the applicable coverage and exclusions.

• Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, and polishing exterior chromed or painted surfaces are considered as ordering location responsibilities. Claims for these activities will not be paid under Warranty during or after the IOP.

Loose Components

During the manufacturing process, certain components are placed in the cab of the vehicle or strapped down to the chassis. It is the service location's responsibility to mount these shipped loose items in the correct location on the vehicle. Mounting the shipped loose items below will not be covered under Warranty.

These items include, but may not be limited to:

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Aerodynamic wheel covers
 - Exception: Mounting covers on Freightliner Cascadia trucks may be reimbursed; varies by model/ specifications
- Antennas
- Chrome lug nut covers
- Decals & paperwork
- Driver's pouch
- Fire extinguishers
- Jacks
- License plate brackets
- Mattress
- Reflectors with flares
- Reflectors without flares
- Spare wheels/tires
- Tire inflation hoses
- Trailer cables (air/electrical)
- Winter fronts

Misapplication of Product

The Warranty on any product used inconsistent with its specified vocation/application will be downgraded to the Warranty that is consistent with product use. Any and all claims associated with the misapplication of the product will be subject to chargeback.

Miscellaneous Expenses

Premium charges and work not directly related to the repair or replacement of a warranted part are not reimbursed, unless specifically stated elsewhere in the applicable Warranty coverage. Examples include, but are not limited to:

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo
- General housekeeping and bulk shop supplies (e.g., shop rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance
- For non-powertrain component repairs, the removal, repair, or replacement of:

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

- Components/parts and optional items that are not sold or installed by Company
- Equipment installed by a body builder, customer, or service location
- Dynamometer testing on non-Company engines after repairs have been performed
- Shop hardware supplies that are not itemized on the claim as "parts used" (e.g., common bolts, washers, nuts, tie straps, cotter pins, etc.)
- Time spent waiting at a counter to obtain a part, etc.
- Environmental fees, cleanup, or other charges
- Cost of emergency services

Modifications to Original Equipment

Company does not warrant product modifications or equipment installations unless performed at a Company Custom Truck Services (CTS) Center. In addition, the extra time necessary to remove body builder-installed items and/ or equipment to work on a warrantable repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package.

If service locations or Customers perform any product modifications or equipment installations, to the extent these modifications or equipment installations adversely affect other vehicle components or vehicle performance, Company shall not accept any product liability or claims under the terms of the product Warranty. These claims become the sole responsibility of the person performing the modifications or equipment installations.

Paint

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- Removal and/or replacement of decals, striping, and/or lettering not applied by Company

Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not warrantable to such areas. These areas include:

- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss claims pertaining to gloss issues on vehicles painted with low-gloss colors (as identified in the Truck/Bus Sales Order) will not be covered under Warranty.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

Routine Maintenance

Routine or preventative maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under Warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are covered under Warranty one (1) time during the applicable IOP unless excluded above.

<u>Reminder</u>: After the IOP, these developments are the result of use and their repair/adjustment activities are considered routine maintenance and thus excluded from Warranty.

Tampering/Misuse

Conditions resulting from tampering, misuse, improper adjustments, alteration, accident, failure to use recommended fuel or non-performance of required maintenance services are not covered.

It is a violation of U.S. federal law to alter the engine, exhaust plumbing, after treatment system, diesel exhaust fluid system, or other vehicle components in any way that would bring the engine/vehicle out of compliance with certification requirements [Ref: 42 U.S.C. §7522(a)(3)]. It is the Owner's responsibility to maintain the vehicle so that it conforms to EPA regulations.

Test Products

Any product(s) used in testing must be identified to the Warranty Department and accommodations must be made for claims that relate to the test item(s).

Any product used in endurance testing, such as the Altoona Test, are void of all Warranty, including but not limited to New Product Warranty, Aftermarket Parts Warranty, Extended Service Coverage, or any Company additional or used truck coverage.

Tires and Tire Balancing

The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balancing is not covered under Warranty.

Transmissions (Non-Company)

Allison transmissions and components are not covered under this Warranty, but are warranted separately by Allison. Information regarding Allison's warranty is provided for informational purposes only and is subject to change. For warranty or service information, contact Allison's authorized sales and service facility.

Eaton Hybrid transmissions are not covered under this Warranty.

3.8 Transfer of Warranty

This Warranty is transferable to a subsequent Owner if it has not expired. To ensure the Owner receives proper Warranty recognition, the ownership information should be updated in OWL.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.

3.9 Change of Owner Address Information

To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the Owner's information must be updated whenever there is a change to the Owner's name or address.

3.10 Product Improvement

Company reserves the right to make improvements or changes to the product at any time without incurring any obligation to make such changes or improvements to any other vehicle.

3.11 Owner's Responsibilities

DTNA provides Owner's Warranty Information booklets for Company products. When the Owner first receives a Company product, the service location should review the Owner's Warranty Information booklet(s) with the Owner. It is important that the new Owner becomes familiar with the contents about Warranty, parts replacement that affects emission controls, and maintenance service. It is the Owner's responsibility to ensure the product is maintained as outlined in the Driver's/Operator's and Maintenance Manuals and to maintain the vehicle so that it conforms to EPA regulations.

To initiate Warranty, the customer must complete and sign the Warranty Start Form (WAR275); service locations keep the signed form on file and register the vehicle with DTNA for Warranty. For TBB bodies and TBB chassis, customers should contact their TBB dealership to initiate Warranty.

As soon as a problem exists, the Owner is responsible for presenting the product to an Authorized Service Location. The Warranty repairs should be completed in a reasonable amount of time. The Owner should also be aware that DTNA may deny Warranty coverage if the product has failed due to abuse, neglect, improper maintenance, or unapproved modifications. DTNA recommends that Owners retain all receipts regarding product maintenance but Company cannot deny Warranty solely for the lack of receipts.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein. Specifications are subject to change without notice. Intended for general information only, not offered as customer's Warranty.